



LedAura

Kreative LED Lighting Solutions

2024 / 2025 K A T A L O G

LED LIGHTING SOLUTIONS FOR EVERY NEED

Our company offers perfect LED lighting solutions for all types of spaces, from your living areas to your workplaces. Discover the power of light with our energy-saving, eco-friendly and high-performance products. Get acquainted with our wide range of modern, stylish, and efficient solutions tailored to meet your lighting needs.



www.ledauralight.com İstanbul / Türkiye

+90 542 3055466

Budva / Montenegro sales@ledauralight.com

INDEX

CODE	PAGE	PRICE	CODE	PAGE	PRICE	CODE	PAGE	PRICE	CODE	PAGE	PRICE
KN-05196	3		KN-05196	15		KN-05196	44		KN-05196	30	
KN-05197	3		KN-05197	14		KN-05197	44		KN-05197	22	
KN-05198	5		KN-05198	14		KN-05198	44		KN-05198	45	
KN-05199	5		KN-05199	14		KN-05199	41		KN-05199	45	
KN-05200	5		KN-05200	43		KN-05200	41		KN-05200	30	
KN-05201	5		KN-05201	43		KN-05201	41		KN-05201	30	
KN-05202	12		KN-05202	43		KN-05202	41		KN-05202	28	
KN-05203	12		KN-05203	43		KN-05203	38		KN-05203	28	
KN-05204	12		KN-05204	43		KN-05204	45		KN-05204	28	
KN-05205	12		KN-05205	43		KN-05205	45		KN-05205	28	
KN-05206	12		KN-05206	43		KN-05206	45		KN-05206	28	
KN-05207	12		KN-05207	43		KN-05207	45		KN-05207	28	
KN-05208	7		KN-05208	43		KN-05208	45		KN-05208	28	
KN-05209	12		KN-05209	43		KN-05209	45		KN-05209	28	
KN-05210	12		KN-05210	43		KN-05210	45		KN-05210	28	
KN-05211	7		KN-05211	43		KN-05211	45		KN-05211	28	
KN-05212	12		KN-05212	43		KN-05212	45		KN-05212	28	
KN-05213	12		KN-05213	43		KN-05213	45		KN-05213	28	
KN-05214	12		KN-05214	43		KN-05214	45		KN-05214	28	
KN-05215	13		KN-05215	42		KN-05215	45		KN-05215	28	
KN-05216	13		KN-05216	42		KN-05216	39		KN-05216	28	
KN-05217	13		KN-05217	42		KN-05217	39		KN-05217	28	
KN-05218	13		KN-05218	42		KN-05218	39		KN-05218	29	
KN-05219	7		KN-05219	42		KN-05219	39		KN-05219	29	
KN-05220	7		KN-05220	42		KN-05220	39		KN-05220	29	
KN-05221	7		KN-05221	42		KN-05221	39		KN-05221	29	
KN-05222	7		KN-05222	42		KN-05222	39		KN-05222	29	
KN-05223	7		KN-05223	41		KN-05223	39		KN-05223	29	
KN-05224	7		KN-05224	40		KN-05224	39		KN-05224	29	
KN-05225	7		KN-05225	40		KN-05225	44		KN-05225	29	
KN-05226	4		KN-05226	40		KN-05226	5		KN-05226	29	
KN-05227	4		KN-05227	42		KN-05227	5		KN-05227	29	
KN-05228	4		KN-05228	42		KN-05228	35		KN-05228	29	
KN-05229	4		KN-05229	17		KN-05229	35		KN-05229	29	
KN-05230	4		KN-05230	6		KN-05230	31		KN-05230	13	
KN-05231	4		KN-05231	6		KN-05231	31		KN-05231	13	
KN-05232	4		KN-05232	41		KN-05232	38		KN-05232	13	
KN-05233	4		KN-05233	41		KN-05233	30		KN-05233	13	
KN-05234	4		KN-05234	41		KN-05234	38		KN-05234	13	
KN-05235	4		KN-05235	41		KN-05235	30		KN-05235	13	
KN-05236	11		KN-05236	40		KN-05236	31		KN-05236	13	
KN-05237	11		KN-05237	40		KN-05237	31		KN-05237	13	
KN-05238	11		KN-05238	25		KN-05238	31		KN-05238	13	
KN-05239	11		KN-05239	25		KN-05239	31		KN-05239	13	
KN-05240	11		KN-05240	40		KN-05240	31		KN-05240	13	
KN-05241	11		KN-05241	40		KN-05241	31		KN-05241	13	
KN-05242	10		KN-05242	40		KN-05242	31		KN-05242	13	
KN-05243	10		KN-05243	40		KN-05243	31		KN-05243	13	
KN-05244	10		KN-05244	40		KN-05244	23		KN-05244	11	
KN-05245	10		KN-05245	40		KN-05245	23		KN-05245	11	
KN-05246	10		KN-05246	40		KN-05246	23		KN-05246	11	
KN-05247	10		KN-05247	40		KN-05247	23		KN-05247	10	
KN-05248	11		KN-05248	42		KN-05248	23		KN-05248	10	
KN-05249	10		KN-05249	6		KN-05249	23		KN-05249	10	
KN-05250	11		KN-05250	6		KN-05250	30		KN-05250	11	
KN-05251	11		KN-05251	6		KN-05251	28		KN-05251	10	
KN-05252	10		KN-05252	6		KN-05252	30		KN-05252	11	
KN-05253	10		KN-05253	6		KN-05253	30		KN-05253	10	
KN-05254	25		KN-05254	41		KN-05254	30		KN-05254	11	
KN-05255	25		KN-05255	42		KN-05255	30		KN-05255	10	
KN-05256	14		KN-05256	42		KN-05256	23		KN-05256	38	
KN-05257	14		KN-05257	42		KN-05257	23		KN-05257	38	
KN-05258	14		KN-05258	42		KN-05258	30		KN-05258	38	
KN-05259	15		KN-05259	44		KN-05259	30		KN-05259	38	
KN-05260	14		KN-05260	44		KN-05260	30		KN-05260	38	
KN-05261	15		KN-05261	44		KN-05261	30		KN-05261	38	
KN-05262	15		KN-05262	44		KN-05262	30		KN-05262	38	
KN-05263	14		KN-05263	44		KN-05263	30		KN-05263	38	
KN-05264	15		KN-05264	44		KN-05264	6		KN-05264	38	
KN-05265	15		KN-05265	44		KN-05265	6				
KN-05266	15		KN-05266	44		KN-05266	6				

INDEX

CODE	PAGE	PRICE	CODE	PAGE	PRICE	CODE	PAGE	PRICE	CODE	PAGE	PRICE
KN-05364	31		KN-05364	19		KN-05364	24		KN-05364	9	
KN-05365	31		KN-05365	19		KN-05365	24		KN-05365	9	
KN-05366	31		KN-05366	19		KN-05366	24		KN-05366	9	
KN-05367	31		KN-05367	19		KN-05367	24		KN-05367	9	
KN-05368	31		KN-05368	19		KN-05368	24		KN-05368	9	
KN-05200	20		KN-05369	19		KN-05369	24		KN-05369	34	
KN-05400	34		KN-05370	22		KN-05370	24		KN-05370	2	
KN-05423	37		KN-05371	22		KN-05371	25		KN-05371	2	
KN-05424	37		KN-05372	22		KN-05372	25		KN-05372	2	
KN-05425	37		KN-05373	22		KN-05373	25		KN-05373	2	
KN-05426	37		KN-05374	22		KN-05374	25		KN-05374	2	
KN-54183	36		KN-05375	19		KN-05375	25		KN-05375	2	
KN-55363	36		KN-05376	18		KN-05376	25		KN-05376	2	
KN-55723	36		KN-05377	22		KN-05377	25		KN-05377	3	
KN-05421	36		KN-05378	22		KN-05378	25		KN-05378	2	
KN-52363	36		KN-05379	21		KN-05379	25		KN-05379	17	
KN-05418	36		KN-05380	21		KN-05380	25		KN-05380	17	
KN-52853	37		KN-05381	21		KN-05381	25		KN-05381	17	
KN-05422	36		KN-05382	21		KN-05382	25		KN-05382	17	
KN-52543	37		KN-05383	19		KN-05383	25		KN-05383	17	
KN-05307	27		KN-05384	19		KN-05384	25		KN-05384	17	
KN-05308	27		KN-05385	20		KN-05385	25		KN-05385	17	
KN-05309	27		KN-05386	20		KN-05386	24		KN-05386	17	
KN-05310	27		KN-05387	20		KN-05387	24		KN-05387	34	
KN-00022	27		KN-05388	22		KN-05388	24		KN-05388	17	
KN-05312	27		KN-05389	21		KN-05389	24		KN-05389	16	
KN-05314	27		KN-05390	21		KN-05390	32		KN-05390	16	
KN-05303	27		KN-05391	22		KN-05391	32		KN-05391	34	
KN-05304	27		KN-05392	22		KN-05392	32		KN-05392	34	
KN-05305	27		KN-05393	22		KN-05393	32		KN-05393	17	
KN-05306	27		KN-05394	20		KN-05394	32		KN-05394	34	
KN-05453	39		KN-05395	18		KN-05395	32		KN-05395	41	
KN-05282	26		KN-05396	21		KN-05396	33		KN-05396	41	
KN-05285	26		KN-05397	21		KN-05397	33		KN-05397	8	
KN-05286	26		KN-05398	20		KN-05398	33		KN-05398	8	
KN-05297	27		KN-05399	20		KN-05399	33		KN-05399	8	
KN-05289	26		KN-05400	20		KN-05400	33		KN-05400	8	
KN-05290	26		KN-05401	20		KN-05401	33		KN-05401	8	
KN-05283	26		KN-05402	20		KN-05402	33		KN-05402	8	
KN-05284	26		KN-05403	20		KN-05403	33		KN-05403	8	
KN-05287	26		KN-05404	21		KN-05404	33		KN-05404	8	
KN-05288	26		KN-05405	19		KN-05405	33		KN-05405	8	
KN-05313	27		KN-05406	19		KN-05406	33		KN-05406	8	
KN-05291	26		KN-05407	18		KN-05407	32		KN-05407	34	
KN-05292	26		KN-05408	18		KN-05408	32		KN-05408	3	
KN-05293	26		KN-05409	18		KN-05409	32		KN-05409	3	
KN-05294	26		KN-05410	18		KN-05410	37		KN-05410	3	
KN-05295	26		KN-05411	18		KN-05411	37		KN-05411	3	
KN-05296	26		KN-05412	38		KN-05412	32		KN-05412	8	
KN-05298	27		KN-05413	18		KN-05413	32		KN-05413	3	
KN-05299	27		KN-05414	18		KN-05414	32		KN-05414	34	
KN-05300	27		KN-05415	18		KN-05415	35		KN-05415	34	
KN-05301	27		KN-05416	18		KN-05416	35		KN-05416	16	
KN-05302	27		KN-05417	21		KN-05417	35		KN-05417	34	
KN-05086	11		KN-05418	21		KN-05418	35		KN-05418	34	
KN-05069	10		KN-05419	21		KN-05419	33		KN-05419	16	
KN-05087	11		KN-05420	18		KN-05420	9		KN-05420	16	
KN-05070	10		KN-05421	18		KN-05421	9		KN-05421	16	
KN-05229	23		KN-05422	18		KN-05422	9		KN-05422	16	
KN-05274	25		KN-05423	24		KN-05423	9		KN-05423	16	
KN-05227	23		KN-05424	24		KN-05424	9		KN-05424	5	
KN-05228	23		KN-05425	24		KN-05425	9		KN-05425	5	
KN-05212	21		KN-05426	24		KN-05426	8		KN-05426	16	
KN-05189	20		KN-05427	24		KN-05427	8		KN-05427	16	
KN-05199	20		KN-05428	24		KN-05428	9		KN-05428	16	
KN-05210	21		KN-05429	24		KN-05429	9		KN-05429	16	
KN-05181	19		KN-05430	24		KN-05430	9		KN-05430	16	
KN-05179	19		KN-05431	24		KN-05431	25		KN-05431	16	
KN-05182	19		KN-05432	24		KN-05432	9		KN-05432	3	
KN-05178	19		KN-05433	24		KN-05433	9		KN-05433	3	
KN-05196	20		KN-05434	24		KN-05434	9		KN-05434	3	

ULTRA THIN LED RECESSED LIGHTS

KN-10030 RECESSED CEILING LIGHT



6500 K
3000 K

155 lm

9,5

IP20
C E

220 V

15000 49x37x28,5 100

8,3 cm
6,6 cm
1,5 cm

3 W

KN-10060 RECESSED CEILING LIGHT



6500 K
4000 K
3000 K

490 lm

15

IP20
C E

220 V

15000 69x37x33,5 100

11,8 cm
10 cm
1,5 cm

6 W

KN-10090 RECESSED CEILING LIGHT



6500 K
3000 K

820 lm

8,3

IP20
C E

220 V

15000 37x33x38,5 40

14,5 cm
12,5 cm
1,5 cm

9 W

KN-10120 RECESSED CEILING LIGHT



6500 K
3000 K

1155 lm

10

IP20
C E

220 V

15000 37x37x44 40

16,8 cm
15 cm
1,5 cm

12 W

KN-10150 RECESSED CEILING LIGHT



6500 K
3000 K

1490 lm

6,3

IP20
C E

220 V

15000 41x37x25 20

18,8 cm
17 cm
1,5 cm

15 W

KN-10180 RECESSED CEILING LIGHT



6500 K
4000 K
3000 K

1820 lm

7,8

IP20
C E

220 V

15000 47x37x28,5 20

22 cm
20 cm
1,5 cm

18 W

KN-12060 RECESSED CEILING LIGHT



6500 K
3000 K

490 lm

15

IP20
C E

220 V

15000 69x37x33,5 100

11,8 cm
10 cm
1,5 cm

6 W

KN-12060 RECESSED CEILING LIGHT



6500 K
3000 K

1820 lm

7,8

IP20
C E

220 V

15000 47x37x28,5 20

22 cm
20 cm
1,5 cm

18 W

FLUSH MOUNT LED FIXTURES

KN-14180 FLUSH MOUNT CEILING LIGHT



6400 K
3200 K

1820 lm

9,34

20,9 cm
2,5 cm

18 W

15000 48x42,5x24,5 20

IP20
220 V
C E

KN-14220 FLUSH MOUNT CEILING LIGHT



6400 K
3200 K

2600 lm

9,78

20,9 cm
2,5 cm

25 W

15000 48x42,5x24,5 20

IP20
220 V
C E

KN-14280 FLUSH MOUNT CEILING LIGHT



6400 K
3200 K

3155 lm

8

28,5 cm
2,5 cm

30 W

15000 42,5x32,5x32,5 10

IP20
220 V
C E

KN-15180 FLUSH MOUNT CEILING LIGHT



6400 K
3200 K

1820 lm

11

20,9 cm
2,5 cm

18 W

15000 48x42,5x24,5 20

IP20
220 V
C E

KN-15220 FLUSH MOUNT CEILING LIGHT



6400 K
3200 K

2600 lm

11,2

20,9 cm
2,5 cm

25 W

15000 48x42,5x24,5 20

IP20
220 V
C E

KN-15280 FLUSH MOUNT CEILING LIGHT



6400 K
3200 K

3155 lm

9

28,5 cm
2,5 cm

30 W

15000 42,5x32,5x32,5 10

IP20
220 V
C E

KN-16180 FLUSH MOUNT CEILING LIGHT



6400 K
3200 K

1820 lm

9,34

20,9 cm
2,5 cm

18 W

15000 48x42,5x24,5 20

IP20
220 V
C E

KN-17180 FLUSH MOUNT CEILING LIGHT



6400 K
3200 K

1820 lm

11

20,9 cm
2,5 cm

18 W

15000 48x42,5x24,5 20

IP20
220 V
C E

KN-16283 FLUSH MOUNT CEILING LIGHT



6400 K
3200 K

3155 lm

9,34


28,5 cm
2,5 cm

30 W

15000 48x42,5x24,5 10

IP20
220 V
C E

KN-11240 30 x 30 FLAT PANEL



6400 K
3200 K

2600 lm

15

29,5 cm
3 cm

25 W

15000 63x41,5x33,5 15

IP20
220 V
C E

KN-05001 LED LIGHT

DOUBLE color



6400 K

520 lm

6,8

10,3 cm
7,5 cm
2 cm

6 W

15000 43x24x24 40

IP20
220 V
C E

LED CEILING LIGHTS ADJUSTABLE MOUNTING DIAMETER



KN-00076 LED CEILING LIGHT

FRAMELESS LED LIGHT

Adjustable size

6400 K
3200 K

1000 lm

12,3

IP20

220 V

15000

54x21x24,5

50

8,5 cm

3-5,6 cm

2,7 cm

10 W

KN-00078 LED CEILING LIGHT

FRAMELESS LED LIGHT

Adjustable size

6400 K
3200 K

2150 lm

6,7

IP20

220 V

15000

37,5x29x17

40

11,8 cm

2-5-8,7 cm

3,3 cm

20 W

KN-00080 LED CEILING LIGHT

FRAMELESS LED LIGHT

Adjustable size

6400 K
3200 K

2650 lm

8,2

IP20

220 V

15000

43,5x38x22

40

16,8 cm

3-13,5 cm

3,3 cm

25 W

KN-00082 LED CEILING LIGHT

FRAMELESS LED LIGHT

Adjustable size

6400 K
3200 K

3200 lm

11

IP20

220 V

15000

43,5x49x27

20

22 cm

4-5-18,5 cm

2,5 cm

35 W

KN-00084 FLUSH MOUNT LED LIGHT

6400 K
3200 K

4350 lm

8,4

IP20

220 V

15000

47,5x29x47,5

20

22 cm

3-5 cm

3 cm

40 W

KN-00086 FLUSH MOUNT LED LIGHT

6400 K
3200 K

6600 lm

9,8

IP20

220 V

15000

62,5x52x31,5

20

28,5 cm

4-5 cm

3 cm

55 W

KN-00054 LED CEILING LIGHT

Adjustable size

6400 K
3200 K

540 lm

12,3

IP20

220 V

15000

54,5x29x23

100

10 cm

4,5-7 cm

2,3 cm

6 W

KN-00056 LED CEILING LIGHT

Adjustable size

6400 K
3200 K

850 lm

6,7

IP20

220 V

15000

52x15,5x26,5

40

11,8 cm

4,5-8 cm

2,3 cm

9 W

KN-00058 LED CEILING LIGHT

Adjustable size

6400 K
3200 K

1520 lm

6,2

IP20

220 V

15000

37x29x19,5

20

17,5 cm

4-5-13,5 cm

2,5 cm

15 W

KN-00060 LED CEILING LIGHT

Adjustable size

6400 K
3200 K

2100 lm

11

IP20

220 V

15000

48x29x25

20

22,8 cm

4-5-18,9 cm

2,3 cm


20 W

LED FLAT PANEL LIGHTS


KN-42363 60 x 60 FLAT PANEL LIGHT



KN-42483 60 x 60 FLAT PANEL LIGHT




KN-46483 60 x 60 FLAT PANEL LIGHT




KN-40243 30 x 30 CLIP-IN PANEL




KN-41243 30 x 60 FLAT PANEL LIGHT




KN-43363 30 x 120 FLAT PANEL LIGHT



KN-05002 60 x 60 CLIP IN FRAME



KN-05003 60 x 60 FRAME



FLUSH MOUNT LED LIGHTS & MOTION SENSOR LIGHTS

KN-05004 **NEW**

6500 K

2000 lm

9,75

220 V

IP44

15000

43,5x35x45,5

40

25 W

9 cm

21 cm

5,5 cm

KN-05005 **NEW**

6500 K

2000 lm

12,75

220 V

IP44

15000

72x35x45,5

40

25 W

17 cm

5,5 cm

KN-05006 **NEW**

3D SHAPE

6400 K

2600 lm

4,8

220 V

IP20

15000

86,5x27x14

20

25 W

21,7 cm

5,8 cm

KN-05007 **NEW**

6500 K

2000 lm

9,75

220 V

IP44

15000

54,3x52,5x28

20

25 W

26 cm

4 cm

KN-05008 **NEW**

6500 K

2800 lm

6

220 V

IP44

15000

53x41,5x42

20

35 W

32 cm

4,5 cm

KN-05009 MOTION SENSOR

DAY NIGHT SENSOR

6400 K

3200 K

2100 lm

20,5

220 V

IP20

15000

48x30x29

20

20 W

22 cm

1,8 cm

KN-05010 MOTION SENSOR **NEW**

RADAR MOTION SENSOR

6500 K

2000 lm

13

220 V

IP44

15000

54,3x52,5x28

20

25 W

26 cm

4 cm

KN-05011 MOTION SENSOR **NEW**

RADAR MOTION SENSOR

6500 K

2800 lm

8

220 V

IP44

15000

53x41,5x42

20

35 W

32 cm

4,5 cm

KN-05012 MOTION SENSOR FIXTURE

MOTION SENSOR

4000 K

1300 lm

4,1

220 V

IP44

15000

43,5x35x23,5

20

20 W

11,5 cm

21 cm

5,5 cm

KN-05013 MOTION SENSOR FIXTURE

MOTION SENSOR

4000 K

1300 lm

4,1

220 V

IP44

15000

43,5x35x23,5

20

20 W

17 cm

5,5 cm

FLUSH MOUNT DECORATIVE LED FIXTURES

KN-05014 (BLACK-COPPER)



Technical specifications:
 GU-10
 14
 220 V
 IP 20
 52x22x31
 50
 Dimensions: 7,5 cm diameter, 11 cm height

KN-05015 (BLACK-COPPER)



Technical specifications:
 GU-10
 12
 220 V
 IP 20
 54,5x23x23
 20
 Dimensions: 10 cm diameter, 10 cm height

KN-05016 (BLACK-PLATINUM)



Technical specifications:
 GU-10
 12
 220 V
 IP 20
 54,5x23x23
 20
 Dimensions: 10 cm diameter, 10 cm height

KN-05017 (WHITE-PLATINUM)



Technical specifications:
 GU-10
 12
 220 V
 IP 20
 54,5x23x23
 20
 Dimensions: 10 cm diameter, 10 cm height

KN-05018 (WHITE-COPPER)



Technical specifications:
 GU-10
 12
 220 V
 IP 20
 54,5x23x23
 20
 Dimensions: 10 cm diameter, 10 cm height

KN-05019 (BLACK-PLATINUM) MOVING HEAD



Technical specifications:
 4000 K
 1300 lm
 7,8
 220 V
 IP 20
 15000
 47x37x28,5
 50
 20 W
 Dimensions: 7,8 cm diameter, 10 cm height

KN-05020 (BLACK-COPPER)



Technical specifications:
 GU-10
 14
 220 V
 IP 20
 52x22x31
 50
 Dimensions: 7,5 cm diameter, 11 cm height

KN-05021 (BLACK-COPPER)



Technical specifications:
 GU-10
 14
 220 V
 IP 20
 52x22x31
 20
 Dimensions: 10 cm diameter, 14,5 cm height

KN-05022 (BLACK-PLATINUM)



Technical specifications:
 GU-10
 14
 220 V
 IP 20
 52x22x31
 20
 Dimensions: 10 cm diameter, 14,5 cm height

KN-05023 (BLACK-PLATINUM) MOVING HEAD



Technical specifications:
 90°
 GU-10
 12
 220 V
 IP 20
 54x23x23
 50
 Dimensions: 7 cm diameter, 14,5 cm height

KN-05024 (BLACK-GOLD)




Technical specifications:
 GU-10
 14
 220 V
 IP 20
 50x50x26
 50
 Dimensions: 6 cm diameter, 13,5 cm height

KN-05025 (BLACK-GOLD)



Technical specifications:
 GU-10
 14
 220 V
 IP 20
 38x40x45
 20
 Dimensions: 6 cm diameter, 13,5 cm height

KN-05026 (BLACK-GOLD)



Technical specifications:
 G-9
 14
 220 V
 IP 20
 52x22x31
 50
 Dimensions: 9,3 cm diameter, 16 cm height

MODERN DECORATIVE LED LIGHTS

KN-05027 (WHITE)



10 cm
9 cm
4 cm

8
GU-10
IP 20
C €

61x27x25 50

KN-05028 (WHITE)



10 cm
9 cm
4 cm

13
GU-10
IP 20
C €

61x27x25 50

KN-05029 (DUAL-WHITE)



18,5 cm
16 cm
9 cm
10 cm

13
GU-10
IP 20
C €

61x27x25 30

KN-05030 (WHITE-BLACK)



10 cm
9 cm
4 cm

8
GU-10
IP 20
C €

61x27x25 50

KN-05031 (WHITE-BLACK)




10 cm
9 cm
4 cm

13
GU-10
IP 20
C €

61x27x25 50

KN-05032 (DUAL WHITE-BLACK)



18,5 cm
16 cm
9 cm
10 cm

14
GU-10
IP 20
C €

61x27x25 30

KN-05033 (SATIN-BLACK)



10 cm
9 cm
4 cm

8
GU-10
IP 20
C €

61x27x25 50

KN-05034 (SATIN-BLACK)




10 cm
9 cm
4 cm

13
GU-10
IP 20
C €

61x27x25 50

KN-05035 (DUAL SATIN-BLACK)



18,5 cm
16 cm
9 cm
10 cm

14
GU-10
IP 20
C €

61x27x25 30

KN-05036 (BLACK)



10 cm
9 cm
4 cm

8
GU-10
IP 20
C €

61x27x25 50

KN-05037 (BLACK)



10 cm
9 cm
4 cm

13
GU-10
IP 20
C €

61x27x25 50

KN-05038 (DUAL BLACK)



18,5 cm
16 cm
9 cm
10 cm

14
GU-10
IP 20
C €

61x27x25 30

KN-05039 (TRIO BLACK)



28,2 cm
27 cm
9 cm
10 cm

14
GU-10
IP 20
C €

61x27x25 20

MODERN DECORATIVE LED LIGHTS

KN-05040 (BLACK-PLATINUM)
ROUND BORE DIAMETER

9 cm
7 cm
3 cm

12
GU-10
IP 20
CE

46x27x55 100

KN-05041 (BLACK-PLATINUM)

17 cm
15 cm
3 cm

12
GU-10
IP 20
CE

46x27x55 50

KN-05042 (BLACK-COPPER)
ROUND BORE DIAMETER

9 cm
7 cm
3 cm

12
GU-10
IP 20
CE

46x27x55 100

KN-05043 (BLACK-COPPER)

17 cm
15 cm
3 cm

12
GU-10
IP 20
CE

46x27x55 50

KN-05044 (BLACK)
ROUND BORE DIAMETER

8,5 cm
7 cm
2,6 cm

12
GU-10
IP 20
CE

46x27x55 100

KN-05045 (BLACK)
ROUND BORE DIAMETER

8,5 cm
7 cm
2,6 cm

12
GU-10
IP 20
CE

46x27x55 100

KN-05046 (WHITE)
ROUND BORE DIAMETER

8,5 cm
7 cm
2,6 cm

12
GU-10
IP 20
CE

46x27x55 100

KN-05047 (WHITE)
ROUND BORE DIAMETER

8,5 cm
7 cm
2,6 cm

12
GU-10
IP 20
CE

46x27x55 100

KN-05048 (WHITE)
ROUND BORE DIAMETER

9 cm
8,2 cm
4 cm

14
GU-10
IP 20
CE

46x27x55 100

KN-05049 (WHITE)
SQUARE BORE DIAMETER

9,3 cm
7,7 cm
4 cm

14
GU-10
IP 20
CE

46x27x55 100

KN-05050 (DUAL WHITE)

18 cm
16 cm
4 cm

11
GU-10
IP 20
CE

56x38x20 50

KN-05051 (BLACK)
ROUND BORE DIAMETER

9 cm
8,2 cm
4 cm

14
GU-10
IP 20
CE

46x27x55 100

KN-05052 (BLACK)
SQUARE BORE DIAMETER

9,3 cm
7,7 cm
4 cm

14
GU-10
IP 20
CE

46x27x55 100

KN-05053 (DUAL BLACK)

18 cm
16 cm
4 cm

11
GU-10
IP 20
CE

56x38x20 50

KN-05054 (WHITE)

8,5 cm
7 cm
3,5 cm

7
GU-10
IP 20
CE

37x26x46 100

KN-05055 (BLACK)

8,5 cm
7 cm
3,5 cm

7
GU-10
IP 20
CE

37x26x46 100

KN-05056 (BLACK-GOLD)

8,5 cm
7 cm
3,5 cm

7
GU-10
IP 20
CE

37x26x46 100

MAGNETIC TRACK LIGHTS

NEW

KN-05057 MAGNETIC




3000 K

2,5 cm
12 cm
3,5 cm

12 W

48 V
950 lm
80

KN-05058 MAGNETIC




3000 K

23,6 cm

24 W

48 V
2000 lm
50

KN-05059 MAGNETIC




3000 K

32,5 cm

36 W

48 V
3050 lm
50

KN-05060 MAGNETIC




3000 K

2,5 cm
23,6 cm
3,5 cm

24 W

48 V
2000 lm
50

KN-05061 MAGNETIC




3000 K

2,5 cm
35,2 cm
3,5 cm

36 W

48 V
3050 lm
50

KN-05062 MAGNETIC



3000 K

2,5 cm
29,9 cm
3,5 cm

24 W

48 V
2000 lm
50

KN-05063 MAGNETIC



3000 K

2,5 cm
22,1 cm
9 cm

24 W

48 V
2000 lm
50

KN-05064 MAGNETIC



3000 K

14 cm
11 cm
4 cm

15 W

48 V
1200 lm
50

KN-05065 MAGNETIC




3000 K

14 cm
12,5 cm
5,5 cm

30 W

48 V
2550 lm
50

KN-05066 1 Meter ULTRA SLIM 0,55 cm
KN-05067 2 Meter ULTRA SLIM 0,55 cm
KN-05068 3 Meter ULTRA SLIM 0,55 cm



2 cm
0,55 cm

36

KN-05069 MAGNETIC LED DRIVER



48 V
40

200 W

KN-05070 MAGNETIC LED DRIVER



48 V
40

360 W

KN-05071 I/L EXTENSION & L ROTATION
KN-05072 BRACKET
KN-05073 POWER SUPPLY



200 100 100

MAGNETIC RAY ARMATÜR **NEW**

KN-05074 MAGNETIC




3000 K

2,5 cm
12 cm
3,5 cm

12 W

48 V
950 lm
80

KN-05075 MAGNETIC




3000 K

23,6 cm

24 W

48 V
2000 lm
50

KN-05076 MAGNETIC




3000 K

32,5 cm

36 W

48 V
3050 lm
50

KN-05077 MAGNETIC




3000 K

2,5 cm
23,6 cm
3,5 cm

24 W

48 V
2000 lm
50

KN-05078 MAGNETIC




3000 K

2,5 cm
35,2 cm
3,5 cm

36 W

48 V
3050 lm
50

KN-05079 MAGNETIC




3000 K

2,5 cm
29,9 cm
3,5 cm

24 W

48 V
2000 lm
50

KN-05080 MAGNETIC




3000 K

2,5 cm
9 cm
22,1 cm

24 W

48 V
2000 lm
50

KN-05081 MAGNETIC



3000 K

14 cm
11 cm
4 cm

15 W

48 V
1200 lm
50

KN-05082 MAGNETIC




3000 K

14 cm
12,5 cm
5,5 cm

30 W

48 V
2550 lm
50

KN-05083 1 Meter ULTRA SLIM 0,55 cm
KN-05084 2 Meter ULTRA SLIM 0,55 cm
KN-05085 3 Meter ULTRA SLIM 0,55 cm



2 cm
0,55 cm

36


KN-05086 MAGNETIC LED DRIVER



48 V
40

200 W

KN-05087 MAGNETIC LED DRIVER



48 V
40

360 W

KN-05088 I/L EXTENSION & L ROTATION
KN-05089 7 BRACKET
KN-05090 POWER SUPPLY



200 100 100

TRACK LIGHTING HEADS (LED / GU-10)

KN-05091



6400 K
3000 K

680 lm

11,2

IP20

220 V

15000

49x25x25

100

18,5 cm

7,8 cm

15 W

KN-05092



6400 K
3200 K

1950 lm

7,3

IP20

220 V

15000

42,5x32,5x42,5

40

18,5 cm

15 cm

6 cm

25 W

KN-05093 **NEW**



6400 K
3000 K

2800 lm

15,4

IP20

220 V

15000

44,5x36x49

40

18,5 cm

17 cm

7 cm

35 W

KN-05094



6400 K
4000 K
3200 K

2500 lm

8,7

IP20

220 V

15000

64,5x26,5x28

40

14,5 cm

20 cm

8,9 cm

30 W

KN-05095 **NEW**



6400 K
3200 K

2500 lm

8,7

IP20

220 V

15000

64,5x26,5x28

40

14,5 cm

20 cm

8,9 cm

30 W

KN-05096



6400 K
3000 K

2700 lm

12,6

IP20

220 V

15000

49,5x40x28

40

7,5 cm

9,5 cm

8,5 cm

33 W

KN-05097



6400 K
4000 K
3000 K

2700 lm

15,4

IP20

220 V

15000

46x38x41

40

7,7 cm

8,7 cm

13,7 cm

36 W

KN-05098



GU-10

12

IP20

220 V

46x46x30

50

7 cm

10 cm

7,5 cm

KN-05099 **NEW**



GU-10

12

IP20

220 V

54,5x23x23

20

8,5 cm

11,8 cm

6 cm

KN-05100



GU-10

12

IP20

220 V

54,5x23x23

20

8,5 cm

11,8 cm

6 cm

KN-05101



GU-10

12

IP20

220 V

54,5x23x23

40

10 cm

10 cm

7,4 cm

TRACK LIGHTING RAILS AND DECORATIVE LED FIXTURES

KN-05102 ● 1 mt
KN-05103 ● 2 mt
KN-05104 ● 3 mt
 WHITE

KN-05105 ● 1 mt
KN-05106 ● 2 mt
KN-05107 ● 3 mt
 BLACK

SINGLE-PHASE TRAIL (%100 COPPER)




ALUMINUM BODY COPPER LINE LINK

3,9 cm
2 cm


20

KN-05108 EXTENSION PART



100


KN-05109 L SHAPE PART



100

KN-05110 ● 1 mt
KN-05111 ● 2 mt
 BLACK

SINGLE-PHASE TRAIL (%100 COPPER)



PVC BODY - COPPER LINE LINK

3,9 cm
2 cm

50-40

KN-05112 EXTENSION PART



250

KN-05113 L SHAPE PART



150

KN-05114 LED TRACK LIGHT HEAD

3200 K



180°

1500 lm
8,7
220 V
IP20
CE
15000
42x29x19
20

30 W

7,4 cm
6,5 cm
27,5 cm
3,5 cm

KN-05115 LED TRACK LIGHT HEAD

3200 K



180°

3200 lm
8,7
220 V
IP20
CE
15000
43x34x23
20

40 W

7,4 cm
6,5 cm
40,5 cm
3,5 cm

KN-05116 LED TRACK LIGHT

4000 K




1530 lm
8,7
220 V
IP20
CE
15000
43x34x23
25

20 W

4,5 cm
3,5 cm
28 cm
27 cm

KN-05117 LED TRACK LIGHT

4000 K




2350 lm
8,7
220 V
IP20
CE
15000
43x34x23
20

30 W

41 cm
4,5 cm
40 cm
3,5 cm

DECORATIVE GLASS LED LIGHTS

KN-05118



KN-05119



KN-05120



KN-05121



KN-05122



KN-05123



KN-05124



KN-05125



DECORATIVE LED EFFECT GLASS LIGHTS

KN-05126
LED EFFECT

10,5 cm
5,5 cm
2,5 cm

7
GU-10
IP 20
CE
53x21,5x27
50



KN-05127
LED EFFECT

12,5 cm
5,5 cm
6 cm

10
GU-10
IP 20
CE
67x27x22
50

KN-05128
LED EFFECT

10 cm
5,5 cm
6 cm

10
GU-10
IP 20
CE
57x23x32
50



KN-05129
LED EFFECT

9,5 cm
6 cm
6 cm

9
GU-10
IP 20
CE
52x21x32
50

KN-05130
LED EFFECT

10 cm
5,5 cm
6 cm

6
GU-10
IP 20
CE
52x21x27
50



KN-05131
LED EFFECT

10 cm
5,5 cm
6 cm

12
GU-10
IP 20
CE
52x21x32
50

KN-05132
LED EFFECT

11 cm
5,5 cm
6 cm

8
GU-10
IP 20
CE
47x19x26
50

LED FIXTURES

KN-05133 LED FIXTURE
3 COLOR

9 cm
7 cm
3,3 cm

8 W

3 COLOR LIGHT MODE
 6500 K
 4000 K
 8000 K
 570 lm
 7,8
 220 V
 IP 20
 15000 61,2x23,4x28 100

KN-05134 LED FIXTURE
3 COLOR

9 cm
7 cm
3,3 cm

8 W

3 COLOR LIGHT MODE
 6500 K
 4000 K
 8000 K
 570 lm
 7,8
 220 V
 IP 20
 15000 61,2x23,4x28 100

KN-05135 SPOT SATIN

9,2 cm
7 cm
4 cm

7 W

6400 K
 3200 K
 450 lm
 5
 220 V
 IP 20
 15000 48x22x20 50

KN-05136 LED FIXTURE
3 COLOR

9,5 cm
6 cm
3,5 cm

6 W

3 COLOR LIGHT MODE
 6500 K
 4000 K
 8000 K
 500 lm
 9,8
 220 V
 IP 20
 15000 61,2x23,4x28 200

KN-05137 LED ARMATUR
3 COLOR

9,5 cm
6 cm
3,5 cm

6 W

3 COLOR LIGHT MODE
 6500 K
 4000 K
 8000 K
 500 lm
 9,8
 220 V
 IP 20
 15000 61,2x23,4x28 200

KN-05138 SPOT

9,3 cm
7 cm
4 cm

7 W

6400 K
 3200 K
 470 lm
 5
 220 V
 IP 20
 15000 50x25x20 50

KN-05139 SPOT

9,3 cm
7 cm
4 cm

7 W

6400 K
 3200 K
 470 lm
 5
 220 V
 IP 20
 15000 50x25x20 50

KN-05140 SPOT

9 cm
7 cm
3,8 cm

8 W

6500 K
 3200 K
 530 lm
 5
 220 V
 IP 20
 15000 48x22x20 50

KN-05141 SPOT WHITE
POWER LED

3 cm
2,5 cm
2 cm

1,5 W

6400 K BLUE
 3200 K AMBER
 80 lm
 3,4
 220 V
 IP 20
 15000 26x24,5x24,5 100

KN-05142 SPOT SATIN
POWER LED

3 cm
2,5 cm
2 cm

1,5 W

6400 K
 3200 K
 80 lm
 3,4
 220 V
 IP 20
 15000 26x24,5x24,5 100

KN-05143 SPOT BLACK
POWER LED

3 cm
2,5 cm
2,1 cm

1,5 W

6400 K
 3200 K
 80 lm
 3,7
 220 V
 IP 20
 15000 34,5x19,5x30 100

KN-05144 SPOT ROTATING
NEW

5,2 cm
4,3 cm
2,3 cm

3 W

4000 K
 140 lm
 4
 220 V
 IP 20
 15000 52x27x12 100

KN-05145 SPOT ROTATING SATIN

5,2 cm
4,5 cm
3,8 cm

1,5 W

6400 K BLUE
 3200 K AMBER
 80 lm
 6,27
 220 V
 IP 20
 15000 34x24,5x24,5 100

KN-05146 SPOT ROTATING BLACK

5,2 cm
4,5 cm
3,8 cm

1,5 W

3200 K
 80 lm
 6,6
 220 V
 IP 20
 15000 34,5x19,5x30 100

LED KORIDOR

KN-05147 MOTION SENSOR HALLWAY

SENSOR



6400 K
3000 K

30 lm

4,5

IP20

220 V

15000

27x27x28

100

1 W

8,5 cm
5 cm
3 cm

KN-05148 MOTION SENSOR HALLWAY

SENSOR



6400 K
3200 K

30 lm

4,5

IP20

220 V

15000

27x27x28

100

1 W

8,5 cm
5 cm
3 cm

KN-05149 MOTION SENSOR HALLWAY **NEW**

SENSOR
COLOR CHARCOAL



6400 K
3200 K

30 lm

4,5

IP20

220 V

15000

27x27x28

100

1 W

8,5 cm
5 cm
3 cm

KN-05150 LED HALLWAY



6400 K
3200 K

120 lm

23,3

IP20

220 V

15000

45x36,5x32,5

100

3 W

8 cm
6,2 cm
5,1 cm

KN-05151 LED HALLWAY



6400 K
3200 K

120 lm

23,3

IP20

220 V

15000

45x36,5x32,5

100

3 W

8 cm
6,2 cm
5,1 cm

KN-05152 PROF HALLWAY

CHIP FREE



3000 K

170 lm

4,5

IP20

220 V

40000

27x27x28

50

3 W

18,5 cm
4,5 cm
4 cm

KN-05153 MOTION SENSOR HALLWAY

SENSOR



6400 K
3200 K

50 lm

9,7

IP20

220 V

15000

47x27x38

100

1,5 W

7,8 cm
5,3 cm
4,7 cm

KN-05154 MOTION SENSOR HALLWAY

SENSOR



6400 K
3200 K

50 lm

10,54

IP20

220 V

15000

47x27x38

100

1,5 W

7,9 cm
5,3 cm
4,7 cm

KN-05155 PORTABLE SPOT



6400 K
3200 K

140 lm

5,61

IP20

220 V

15000

39,5x32,5x17

100

2 W

6,7 cm
5 cm
2,1 cm

KN-05156 LED HALLWAY



6400 K
3200 K
BLUE
AMBER

50 lm

5,34

IP20

220 V

15000


42x22x18

50

3 W

7 cm
1,6 cm

KN-05157 OUTDOOR FLUSH MOUNT



4000 K

100 lm

11,5

IP65

220 V

15000

67,5x21,5x27,5

60

3 W

12,4 cm
12,4 cm
2,7 cm

VINTAGE LED FILAMENT LIGHTBULBS

KN-05158 VINTAGE LED FILAMENT



AMBER

300 lm

9

220 V E-27

15000 76x36x31 100

4 W

14 cm 6,5 cm

KN-05159 VINTAGE LED FILAMENT



AMBER

540 lm

9

220 V E-27

15000 76x36x31 100

6 W

14 cm 6,5 cm

KN-05160 VINTAGE LED FILAMENT



AMBER

650 lm

9

220 V E-27

15000 76x36x31 100

8 W

14 cm 6,5 cm

KN-05161



AMBER

320 lm

6,9

220 V E-27

15000 44x30x21,5 100

4 W

10,8 cm 6 cm

KN-05162 DIMMABLE FILAMENT

%100 DIMMABLE



AMBER

450 lm

9

220 V E-27

15000 76x36x31 100

6 W

14 cm 6,5 cm

KN-05163 LED FILAMENT



6400 K

3200 K

1000 lm

9

220 V E-27

15000 76x36x31 100

8 W

14 cm 6,5 cm

KN-05164



AMBER

310 lm

8


220 V E-27

15000 51x26x26,5 100

4 W

11 cm 4,5 cm

KN-05165 GLOBE LED FILAMENT



AMBER

400 lm

6

220 V E-27

15000 48,5x48,5x30,5 50

6 W

14,5 cm 9,5 cm

KN-05166 GLOBE LED FILAMENT



3200 K

600 lm

6

220 V E-27

15000 48,5x48,5x30,5 50

6 W

14,5 cm 9,5 cm

KN-05167



AMBER

400 lm

6


220 V E-27

15000 36x36x20 100

4 W

22,5 cm 3 cm

KN-05168



AMBER

310 lm

7,3

220 V E-27

15000 50,5x50,5x22,5 200

4 W

8 cm 4,5 cm

KN-05169



3200 K

280 lm

7,3

220 V E-27

15000 50,5x50,5x22,5 200

4 W

8 cm 4,5 cm

KN-05170 DIMMABLE

%100 DIMMABLE



3200 K

810 lm

7

220 V E-27

15000 64x33x26 100

8 W

10,8 cm 6 cm

KN-05171 LED REFRIGRATOR BULB E-14



6400 K

3200 K

140 lm

18

220 V E-14

25000 60x23x23 500

2 W

5,5 cm 2,6 cm

LED CANDELABRA AND FILAMENT LIGHT BULBS

KN-05172




6400 K
3200 K
680 lm
5
220 V
E-14
15000
40x20x23,9
100

7 W

3,8 cm
11 cm

KN-05173



6400 K
3200 K
720 lm
6,56
220 V
E-14
15000
42,5x21,5x26,5
100

8 W

3,8 cm
11 cm

KN-05174




6400 K
3200 K
800 lm
6,2
220 V
E-27
15000
42x21,5x27
100

8 W

3,8 cm
11,5 cm

KN-05175




6400 K
3200 K
680 lm
5,2
220 V
E-14
15000
40x20x27,9
100

7 W

3,8 cm
13,5 cm

KN-05176




6400 K
3200 K
720 lm
7
220 V
E-14
15000
42,5x21,5x30,5
100

8 W

3,8 cm
13,5 cm

KN-05177



6400 K
3200 K
800 lm
6,2
220 V
E-14
15000
42x21,5x27
100

8 W

3,8 cm
11,5 cm

KN-05178



3200 K
400 lm
3
220 V
E-14
15000
40x20x29
200

4 W

3,5 cm
10 cm

KN-05179

HIGH LUMEN



3200 K
630 lm
3
220 V
E-14
15000
40x20x29
200

7 W

3,5 cm
10 cm

NEW

KN-05180



AMBER
320 lm
6
220 V
E-14
15000
40x20x29
200

4 W

3,5 cm
10 cm

KN-05181



3200 K
400 lm
3,7
220 V
E-14
15000
40x20x29
200

4 W

3,5 cm
12 cm

KN-05182

HIGH LUMEN



3200 K
600 lm
3,7
220 V
E-14
15000
40x20x29
200

7 W

3,5 cm
12 cm

NEW

KN-05183



AMBER
320 lm
6
220 V
E-14
15000
40x20x29
200

4 W

3,5 cm
12 cm

KN-05184



3200 K
420 lm
7
220 V
E-27
15000
64x33x26
100

4 W

6 cm
10,8 cm

KN-05185



3200 K
610 lm
7
220 V
E-27
15000
64x33x26
100

6 W

6 cm
10,8 cm

KN-05186



3200 K
850 lm
7
220 V
E-27
15000
64x33x26
100

8 W

6 cm
10,8 cm

LED LIGHT BULBS

KN-05187



6400 K
3200 K
500 lm
6
220 V
E-27
15000
50x25x24
100

6 W

5 cm
9 cm

KN-05188



6400 K
3200 K
500 lm
4,2
220 V
E-14
15000
47,5x47,5x9,7
200

6 W

4,8 cm
8,6 cm

KN-05189 RGB LED BULB WITH REMOTE CONTROL

7 Meter DETECTION



RGB
3200 K
800 lm
15
220 V
E-27
15000
40x35x27
100

9 W

6 cm
12 cm

KN-05190



6400 K
3200 K
830 lm
13
220 V
E-27
15000
69,5x35,5x27,5
100

9 W

6 cm
10,8 cm

KN-05191



6500 K
3200 K
1000 lm
14
220 V
E-27
15000
72x35,5x27,5
100

12 W

6 cm
10,8 cm

KN-05192



6500 K
3200 K
1200 lm
15
220 V
E-27
15000
40x35x27
100

15 W

6,5 cm
12,5 cm

KN-05193 SENSOR

SENSOR



6400 K
1200 lm
13
220 V
E-27
15000
69,5x35,5x27,5
100

12 W

6,5 cm
12,5 cm

KN-05194 %100 DIMMABLE



6400 K
3200 K
1200 lm
13
220 V
E-27
15000
69,5x35,5x27,5
100

12 W

6,5 cm
12,5 cm

KN-05195 GLOBE



3200 K
1500
220 V
E-27
15000
52x52x16,6
50

15 W

9,5 cm
14 cm

KN-05196 GLOBE NIGHT LAMP



RED
GREEN
WHITE
SARI
BLUE
6,5
40 lm
220 V
E-27
15000
67x34x25
200

1 W

4,5 cm
7 cm

KN-05197 6 W COLORED



RED
GREEN
BLUE
4,4
160 lm
220 V
E-27
15000
39x33x25
100

6 W

5 cm
9 cm

KN-05198 9 W COLORED




GREEN
4,4
140 lm
220 V
E-27
15000
39x33x25
100

9 W

6 cm
10,8 cm

KN-05199 LED BULB WITH FLAME EFFECT

3 FUNCTION



AMBER
190 lm
13
220 V
E-27
15000
69x35x27
50

5 W

6 cm
15 cm

COMMON LIGHTING
STRAIGHT FLAME
REVERSE FLAME
FLAME EFFECT
BREATHING EFFECT

KN-05200 FAN WITH LIGHT



6500 K
4500 lm
9,5
220 V
E-27
15000
50x45x26
30

42 W

33,5 cm
8,8 cm

T-BULB, RECHARGEABLE BULBS AND TUBE LED LIGHTS

KN-05201



6400 K
1300 lm
5,72
220 V
E-27
15000 53,5x42,5x43 100

15 W

6 cm
8 cm

KN-05202



6400 K
1600 lm
4,4
220 V
E-27
15000 42,5x26,5x32,5 30

25 W

8 cm
14 cm

KN-05203



6400 K
2200 lm
5,72
220 V
E-27
15000 53,5x42,5x43 40

35 W

10 cm
17 cm

KN-05204




6400 K
3700 lm
15
220 V
E-27
15000 80x40x28 24

45 W

11,5 cm
19,5 cm

KN-05205



6400 K
4300 lm
15
220 V
E-27
15000 80x40x28 20

55 W

12,5 cm
22 cm

KN-05206




6400 K
4300 lm
15
220 V
E-27
15000 80x40x28 20

65 W

13,5 cm
22 cm

KN-05207 RECHARGEABLE LED BULB

8 HOURS



6400 K
830 lm
6,8
220 V
E-27
15000 40x35x27 100

9 W

6 cm
12,5 cm

KN-05208 RECHARGEABLE LED BULB **NEW**

8 HOURS



6400 K
3750 lm
7,5
220 V
E-27
15000 49,5x40x35 40

35 W

11 cm
18,5 cm

KN-05209 RECHARGEABLE LED BULB

USB RECHARGE PORTABLE 4 FUNCTION

8 HOURS



6400 K
300 lm
5,72
220 V
E-27
15000 53,5x42,5x43 40

30 W

10,5 cm
19,5 cm

KN-05210 POOL LIGHT



6400 K
BLUE
1600 lm
10,2
12 V
IP 64
CE
15000 62x37x37,5 20

36 W

SUITABLE FOR POOL LIGHTING

17,6 cm
10 cm
7 cm

KN-05211 PAR 30



6400 K
910 lm
9,6
220 V
E-27
15000 50x20x50 50

12 W

9,5 cm
9 cm

KN-05212 RGB POOL AND AQUARIUM LIGHTING

WITH REMOTE CONTROL




RGB
100 lm
15
12 V
IP 68
CE
15000 40x35x27 100

5 W

7 cm
2 cm

KN-05213 LED TUBE LIGHTS




6400 K
900 lm
6,4
220 V
G-13
15000 65x22x23,5 25

9 W

3 cm
3 cm
60 cm

KN-05214 LED TUBE LIGHTS



6400 K
1900 lm
11,9
220 V
G-13
15000 126x22x23,5 25

18 W

3 cm
3 cm
120 cm

GU-10 LED LIGHTS AND CAPSULE LIGHTING

KN-05215 GU-10 LED LIGHT



6400 K
3200 K

290 lm

3,86

220 V GU-10

15000 52,5x26,5x14,5 100

5 W

5 cm
5,2 cm

KN-05216 GU-10 LED LIGHT



6400 K
4000 K
3200 K

480 lm

6,9

220 V GU-10

15000 52,5x26,5x14,5 100

7 W

5 cm
5,2 cm

KN-05217 GU-10 LED LIGHT



RED
GREEN
BLUE
AMBER

480 lm

6,9

220 V GU-10

15000 52,5x26,5x14,5 100

7 W

5 cm
5,2 cm

KN-05218 GU-10 LED LIGHT



WHITE
GÜNEŞİĞİ

860 lm

6,9

220 V GU-10

15000 52,5x26,5x14,5 100

8,5 W

5 cm
5,2 cm

KN-05219 GU-10 LED LIGHT



6400 K
3200 K

700 lm

6,9

220 V GU-10

15000 52,5x26,5x14,5 100

10 W

5 cm
5,25 cm

KN-05220 GU-10 LED LIGHT

%100 DIMMABLE



WHITE
GÜNEŞİĞİ

900 lm

6,9

220 V GU-10

15000 52,5x26,5x14,5 100

9 W

5 cm
5,25 cm

KN-05221 GU-10 LAMP HOLDER 12 CM CABLE



16

37x31x22 1000

KN-05222 COB LED G-4 12 V



6400 K
3200 K

195 lm

9,8


12 V G-4

25000 61,2x23,4x28 1000

3 W

3,7 cm
1,2 cm

KN-05223 COB LED G-4 12 V



6500 K
3000 K

210 lm

9,8

12 V G-4

25000 61,2x23,4x28 1000

5 W

3,8 cm
1,5 cm

KN-05224 LED G-9 220 V



6400 K
3200 K

195 lm

14,3

220 V G-9

25000 85x32x37 1000

3 W

5 cm
1,5 cm

KN-05225 COB LED G-9 220 V



6400 K
3200 K

190 lm

14,3

220 V G-9

25000 85x32x37 1000

5 W

5 cm
1,5 cm

KN-05226 COB LED G-9 220 V



6400 K
3200 K

620 lm

14,3

220 V G-9

25000 85x32x37 1000

7 W

6 cm
1,4 cm

SECURITY CAMERA, SURGE PROTECTOR POWER STRIPS & EXIT SIGNS

KN-05227 SMART INDOOR SECURITY CAMERA

- FULL HD 1080 P
- SOUND-MOTION WARNING
- NIGHT VISION

120°
360°

7 cm
11,5 cm

Wi-Fi

IP 20
CE
50

KN-05228 SMART OUTDOOR SECURITY CAMERA

- FULL HD 1080 P
- SOUND-MOTION WARNING
- NIGHT VISION

NEW

336°
80°

8,8 cm
12 cm
21 cm
12 cm

Wi-Fi

IP 64
CE
24

KN-05229 SMART SURGE PROTECTOR POWER STRIP

- 16 AMPER

5,5 cm
5,5 cm
8 cm

Wi-Fi

20

KN-05230 SURGE PROTECTOR POWER STRIP

- 918 JOULE

4 cm
9,5 cm
6 cm

4000 W

11,6
150-280 V

61x43,5x25
50

KN-05231 SURGE PROTECTOR POWER STRIP

- LED SCREEN

4 cm
9,5 cm
7 cm

4000 W

13
150-280 V

20
38x25x24,5
50

KN-05232 EXIT

- 3 HOURS

33 cm
14,5 cm
2,3 cm

3 W

12,2
220 V

IP 20
CE
55x37,5x17,8
20

KN-05233 EXIT

- 3 HOURS

33 cm
14,5 cm
2,3 cm

3 W

12,2
220 V

IP 20
CE
55x37,5x17,8
20

KN-05234 EXIT

- 3 HOURS

33 cm
14,5 cm
2,3 cm

3 W

12,2
220 V

IP 20
CE
55x37,5x17,8
20

KN-05235 EXIT

- 3 HOURS

33 cm
14,5 cm
2,3 cm

3 W

12,2
220 V

IP 20
CE
55x37,5x17,8
20

KN-05236 EMERGENCY EXIT

- 3 HOURS

33 cm
14,5 cm
2,3 cm

3 W

12,2
220 V

IP 20
CE
55x37,5x17,8
20

KN-05237 EMERGENCY EXIT

- 3 HOURS

33 cm
14,5 cm
2,3 cm

3 W

12,2
220 V

IP 20
CE
55x37,5x17,8
20

LED STRIP AND LED MODULES

KN-05238 ● WHITE 10 CHIP INDOOR
KN-05239 ● DAYLIGHT
KN-05240 ● RED
KN-05241 ● GREEN
KN-05242 ● BLUE
KN-05243 ● AMBER
KN-05244 ● 4000 K



750 lm/1 mt
 3,65
IP20
 C E

7 W / 1 mt
 12 V 33x33x15 250

KN-05245 ● WHITE 10 CHIP OUTDOOR
KN-05246 ● DAYLIGHT
KN-05247 ● AMBER



750 lm/1 mt
 8,4
IP44
 C E

10 W / 1 mt
 12 V 33x33x20 250

KN-05248 ● WHITE INDOOR LED STRIP
KN-05249 ● DAYLIGHT

HIGH LUMEN
 12 mm
 DOUBLE PCB



1800 lm/1 mt
 6,6
IP20
 C E

16 W / 1 mt
 12 V 41x41x22 200

KN-05250 RGB INDOOR

RGB



750 lm/1 mt
 4,95
IP20
 C E

8 W / 1 mt
 12 V 33x33x15 250

KN-05251 RGB OUTDOOR

RGB



750 lm/1 mt
 4,95
IP20
 C E

10 W / 1 mt
 12 V 33x33x15 250

KN-05252 240 LED INDOOR

WHITE
 DAYLIGHT
 AMBER



1500 lm/1 mt
 6,6
IP20
 C E

16 W / 1 mt 240 MODULE
 12 V 41x41x22 250

KN-05253 ● WHITE 10 CHIP 220 V POWER SUPPLY NEEDLESS LED STRIP 120 LED
KN-05254 ● DAYLIGHT
KN-05255 ● AMBER

PLUG and PLAY
 120 LED
 INDOOR OUTDOOR
 SELF ADHESIVE

NEW



1,03 cm
 0,32 cm

KN-05256
 220 V 10 CHIP LED STRIP PLUG


10 W / 1 mt
 750 lm/1 mt 4,95 33x33x15 100

220 V
IP44
 C E

KN-05257 1mt ALUMINUM PCB

SELF ADHESIVE
 EXTENDABLE SOCKET

WHITE



1440 lm/1 mt
 12 V
IP20
 C E

12 W
 100

KN-05258 LED MODULE

HIGH LUMEN
 KOREAN DESIGN

WHITE
 GÜN IŞIĞI



50 lm
IP64
 C E

1 W / MODULE 7 LED - 7 M t 50 LED
 12 V 2000

KN-05259 LED MODULE

WHITE
 DAYLIGHT
 RED
 BLUE
 GREEN
 AMBER



130 lm
IP64
 C E

2 W / MODULE 7 LED - 7 M t 50 LED
 12 V 2000

KN-05260 220 V LED MODULE

PLUG and PLAY
 220 VOLT

WHITE
 GÜN IŞIĞI



70 lm
IP20
 C E

2 W / MODULE 7 LED - 7 M t 50 LED
 220 V 2000

220V LED STRIP, NEON, RGB SET, FIBER

KN-05261 WHITE 220 V OUTDOOR LED STRIP
KN-05262 RED 1 mt (60 LED)
KN-05263 BLUE
KN-05264 GREEN
KN-05265 DAYLIGHT
KN-05266 AMBER



0,93 cm
1,47 cm

220 V
IP 64
CE

KN-05267 220 V LED STRIP PLUG

180 lm/1 mt 32x32x22 100

KN-05268 220 V NEON LED 1 mt (120 LED) 9,5 mm



0,95 cm
1,5 cm

220 V
IP 64
CE

KN-05269 220 V NEON LED PLUG

300 lm/1 mt 220 V 33x33x15 25

KN-05270 NEXT GENERATION COB NEON 220 V

HIGH LUMEN
KENDİNDEN YAPIŞKANLI

NEW



1,05 cm
0,65 cm

220 V
IP 64
CE

KN-05271 220 V COB NEON LED PLUG

1000 lm/1 mt 33x33x15 100

KN-05272 12 V NEON LED 5 m/ROLL



0,55 cm
1,2 cm

12 V
IP 64
CE

500 lm/1 mt 34x34x14,5 150

KN-05273 12 V NEON RGB LED 5 m/ROLL

NEW



0,55 cm
1,2 cm

12 V
IP 64
CE

500 lm/1 mt 34x34x14,5 150

KN-05274 SMART LED STRIP SET

SET (5 mt+POWER SUPPLY+REMOTE CONTROL)

PLUG and PLAY
16 MILLION COLOR



14
IP 20
CE

52x22x31 20

KN-05275 RGB LED STRIP SET

(5 mt RGB LED + DRIVER + RGB REMOTE CONTROL)

PLUG and PLAY
96 COLOR



60 lm/1 mt
7
IP 20
CE

4 W / 1 mt 220 V 30x55x15 50

KN-05276 PROFESSIONAL RGB LED STRIP SET

(5 mt RGB LED + DRIVER + RGB REMOTE CONTROL)

PLUG and PLAY
352 COLOR



90 lm/1 mt
8
IP 20
CE

5 W / 1 mt 220 V 30x55x15 50

KN-05277 USB RGB LED STRIP SET (3 mt)

PLUG and PLAY



450 lm
6,6
IP 20
CE

10 W / 1 mt 12 V 41x41x22 100

KN-05278 FIBER CABLE 1 CORE
KN-05279 FIBER CABLE 2 CORE

NEW



LSZH 9/125 A2 2.00 G657

2 CORE 1 CORE
2000 4000

KN-05280 IVY OUTDOOR

EXTENDABLE - E27

5 Meter
5 LAMP HOLDER



E-27
IP 64
CE

9,5 69x36x28 25

KN-05281 IVY OUTDOOR

EXTENDABLE - E27

10 Meter
20 LAMP HOLDER




E-27
IP 64
CE

9,5 69x36x28 10

POWER SUPPLY FOR LED STRIPS

KN-05282 3 AMPER



36 W

220 V 39,5x27x20 80

IP 20

3 mt

12

6 cm

8,5 cm

3 cm

KN-05283 5 AMPER



60 W

220 V 39x18,5x24 60

IP 20

5 mt

11

4 cm

11,8 cm

3 cm

KN-05284 10 AMPER



120 W

220 V 41x21x27,5 50

IP 20

7 mt

13,8

4,5 cm

18,5 cm

3,5 cm

KN-05285 12,5 AMPER



150 W

220 V 41x21x27,5 40

IP 20

10 mt


12

5,5 cm

20 cm

3,5 cm

KN-05286 17 AMPER



200 W

220 V 45x29x25,5 30

IP 20

16 mt

20

6,5 cm

22 cm

4 cm

KN-05287 21 AMPER



250 W

220 V 45x29x25,5 30

IP 20

18 mt

20

6,5 cm

22,3 cm

4 cm

KN-05288 30 AMPER



360 W

220 V 39,5x29x25 30

IP 20

3 mt

17,6

6,5 cm

25 cm

4 cm

KN-05289 GOLD 33 AMPER

SERIES PROFESSIONEL



400 W

220 V 39,5x29x25 40

IP 20

30 mt

17,6


28,5 cm

2 cm

5,3 cm

KN-05290 GOLD 40 AMPER

SERIES PROFESSIONEL



480 W

220 V 39,5x29x25 20

IP 20

40 mt

17,6

33,5 cm

2 cm

5,3 cm

KN-05291 3 AMPER OUTDOOR



36 W

220 V 39,5x29x25 50

IP 64

3 mt


17,6

16 cm

2 cm

3 cm

KN-05292 5 AMPER OUTDOOR



60 W

220 V 39,5x29x25 60

IP 64

5 mt

17,6

18 cm

2 cm

4 cm

KN-05293 12,5 AMPER OUTDOOR



150 W

220 V 39,5x29x25 50

IP 64

7 mt


17,6

17,5 cm

3,5 cm

4,5 cm

KN-05294 17 AMPER OUTDOOR



200 W

220 V 39,5x29x25 40

IP 64

10 mt


17,6

19,5 cm

3,4 cm

4 cm

KN-05295 21 AMPER OUTDOOR



250 W

220 V 39,5x29x25 30

IP 64

16 mt

17,6

21,5 cm

3,5 cm

4,5 cm

KN-05296 25 AMPER OUTDOOR



300 W

220 V 39,5x29x25 20

IP 64

20 mt

17,6


24,5 cm

4 cm

7,5 cm

LED STRIP POWER SUPPLY, ADAPTER, BALLAST AND EMERGENCY LIGHT SET

KN-05297 1 AMPER



10 W

220 V

46x29,5x32

200

IP 20

1,5 mt


11

3,6 cm

8,4 cm

2 cm

KN-05298 5 AMPER
SUPER SLIM



60 W

220 V

45x29x25,5

200

IP 20

16 mt


20

5,3 cm

10,5 cm

2 cm

KN-05299 12,5 AMPER
SUPER SLIM



150 W

220 V

45x29x25,5

100

IP 20

18 mt


20

5,3 cm

17 cm

2 cm

KN-05300 17 AMPER
SUPER SLIM



204 W

220 V

39,5x29x25

100

IP 20

25 mt

17,6

5,3 cm

19,8 cm

2 cm

KN-05301 21 AMPER
SUPER SLIM



252 W

220 V

39,5x29x25

50

IP 20

30 mt


17,6

5,3 cm

30,5 cm

2 cm

KN-05302 30 AMPER
SUPER SLIM



360 W

220 V

39,5x29x25

50

IP 20

40 mt

17,6

5,3 cm

34,5 cm

2 cm

KN-05303 1 AMPER



10 W

220 V

70x55x115

150

IP 20

1,5 mt

KN-05304 2 AMPER



25 W

220 V

70x55x115

150

IP 20

3 mt

KN-05305 3,5 AMPER



42 W

220 V

65x40x90

150

IP 20

4 mt

KN-05306 5 AMPER



60 W

220 V

70x45x95

150

IP 20

5 mt

KN-05307 ELECTRONIC BALLAST



1 x 40 W

220 V

42,5x32,5x14

100

IP 20

2,5 cm

20 cm

2 cm

KN-05308 ELECTRONIC BALLAST



2 x 40 W

220 V

42,5x32,5x14

100

IP 20

2,5 cm

20 cm

2 cm

KN-05309 ELECTRONIC BALLAST



1 x 20 W

220 V

42,5x32,5x14

100

IP 20

2,5 cm

20 cm

2 cm

KN-05310 ELECTRONIC BALLAST



2 x 20 W

220 V

42,5x32,5x14

100

IP 20

2,5 cm

20 cm

2 cm

KN-05311 DRIVER
FOR RECESSED AND FLUSH MOUNT LIGHTINGS



3-18 W

220 V

100

IP 20

3 cm

6 cm

1,5 cm

KN-05312 DRIVER
FOR RECESSED AND FLUSH MOUNT **NEW**



18-36 W

220 V

100

IP 20

KN-05313 DRIVER
FLAT PANEL LIGHT 1b
DJSQF KMSLR JSEFRLEQ **NEW**



40-60 W

220 V

100

IP 20

KN-05314 DRIVER EMERGENCY LIGHTING
for recessed and 60x60 g_r_n_l_cj



3-60 W

220 V

100

IP 20

4,2 cm

15 cm

3 cm

4,5 kA CIRCUIT BREAKERS **NEW**

KN-05315 CIRCUIT BREAKER
KN-05316
C TYPE
MONO PHASE



1P
11,3
46x23,5x17,5
120

2 A

KN-05317 CIRCUIT BREAKER
B TYPE
MONO PHASE



1P
11,3
46x23,5x17,5
120

10 A

KN-05318 CIRCUIT BREAKER
B TYPE
MONO PHASE



1P
11,3
46x23,5x17,5
120

16 A

KN-05319 CIRCUIT BREAKER
B TYPE
MONO PHASE



1P
11,3
46x23,5x17,5
120

20 A

KN-05320 CIRCUIT BREAKER
B TYPE
MONO PHASE



1P
11,3
46x23,5x17,5
120

25 A

KN-05321 CIRCUIT BREAKER
B TYPE
MONO PHASE



1P
11,3
46x23,5x17,5
120

32 A

KN-05322 CIRCUIT BREAKER
B TYPE
MONO PHASE



1P
11,3
46x23,5x17,5
120

40 A

KN-05323 CIRCUIT BREAKER
B TYPE
MONO PHASE



1P
11,3
46x23,5x17,5
120

63 A

KN-05324 CIRCUIT BREAKER
C TYPE
THREE PHASE



3P
11,3
46x23,5x17,5
40

3x10 A

KN-05325 CIRCUIT BREAKER
C TYPE
THREE PHASE



3P
11,3
46x23,5x17,5
40

3x16 A

KN-05326 CIRCUIT BREAKER
C TYPE
THREE PHASE



3P
11,3
46x23,5x17,5
40

3x20 A

KN-05327 CIRCUIT BREAKER
C TYPE
THREE PHASE



3P
11,3
46x23,5x17,5
40

3x25 A

KN-05328 CIRCUIT BREAKER
C TYPE
THREE PHASE



3P
11,3
46x23,5x17,5
40

3x32 A

KN-05329 CIRCUIT BREAKER
C TYPE
THREE PHASE



3P
11,3
46x23,5x17,5
40

3x40 A

KN-05330 CIRCUIT BREAKER
C TYPE
THREE PHASE



3P
11,3
46x23,5x17,5
40

3x50 A

KN-05331 CIRCUIT BREAKER
C TYPE
THREE PHASE



3P
11,3
46x23,5x17,5
40

3x63 A

6 kA RESIDUAL CURRENT CIRCUIT BREAKER & FLAME RETARDENT

NEW

KN-05332 RESIDUAL CURRENT CIRCUIT BREAKER
SINGLE PHASE

 2P
 2x25 A 30 mA
 46x23,5x17,5 60

KN-05333 RESIDUAL CURRENT CIRCUIT BREAKER
SINGLE PHASE

 2P
 2x32 A 30 mA
 46x23,5x17,5 60

KN-05334 RESIDUAL CURRENT CIRCUIT BREAKER
SINGLE PHASE

 2P
 2x40 A 30 mA
 46x23,5x17,5 60

KN-05335 RESIDUAL CURRENT CIRCUIT BREAKER FIRE
SINGLE PHASE


 2P
 2x25 A 300 mA
 46x23,5x17,5 60

KN-05336 RESIDUAL CURRENT CIRCUIT BREAKER FIRE
SINGLE PHASE

 2P
 2x32 A 300 mA
 46x23,5x17,5 60

KN-05337 RESIDUAL CURRENT CIRCUIT BREAKER FIRE
SINGLE PHASE

 2P
 2x40 A 300 mA
 46x23,5x17,5 60


KN-05338 RESIDUAL CURRENT CIRCUIT BREAKER
THREE PHASE

 4P
 4x25 A 30 mA
 40,5x21,2x27,7 30

KN-05339 RESIDUAL CURRENT CIRCUIT BREAKER
THREE PHASE

 4P
 4x40 A 30 mA
 40,5x21,2x27,7 30

KN-05340 RESIDUAL CURRENT CIRCUIT BREAKER
THREE PHASE

 4P
 4x63 A 30 mA
 40,5x21,2x27,7 30

KN-05341 RESIDUAL CURRENT CIRCUIT BREAKER FIRE
THREE PHASE

 4P
 4x25 A 300 mA
 40,5x21,2x27,7 30

KN-05342 RESIDUAL CURRENT CIRCUIT BREAKER FIRE
THREE PHASE

 4P
 4x40 A 300 mA
 40,5x21,2x27,7 30

KN-05343 RESIDUAL CURRENT CIRCUIT BREAKER FIRE
THREE PHASE

 4P
 4x63 A 300 mA
 40,5x21,2x27,7 30

ELECTRONIC TIMER, SENSOR, SMOKE SENSOR AND SPEAKER

KN-05344 LIGHTING CONTACTOR
SILENT

25 A
 40x32,5x27,5 120

KN-05345 SMOKE SENSOR ALARM


57,5x24x20,5 50

KN-05346 SPEAKER
WITH DRIVER

60 W
 20 cm
 16,5 cm
 3 cm
 220 V
 44x35x44 20
 IP20
 14


KN-05347 W OTOMAT TIMER
RESERVE

3500 W
 38x25x24,5 100

KN-05348 MECHANICAL TIMER FOR ELECTRICAL OUTLETS

3680 W
 4 cm
 8 cm
 8 cm
 16 A
 11,6
 220 V
 61x43,5x25 48

KN-05349 DIGITAL TIMER FOR ELECTRICAL OUTLETS

3680 W
 4 cm
 8 cm
 8 cm
 16 A
 10,7
 220 V
 55x53x28 48

KN-05350 180° MOTION SENSOR

1200 W
 6 cm
 8 cm
 15 cm
 12,4
 220 V
 44x33,5x36,5 60

KN-05351 IP44 OUTDOOR MOTION SENSOR

1200 W
 6 cm
 6,5 cm
 8 cm
 6,8
 IP44
 220 V
 45x42x18 50

KN-05352 MINI SENSOR


800 W
 3,5 cm
 5,5 cm
 2,5 cm
 2,8
 220 V
 29,5x25,5x12,5 50

KN-05353 RECESSED MOTION SENSOR

600 W
 7,5 cm
 7,5 cm
 6,8
 220 V
 45x42x18 50

KN-05354 360° MOTION SENSOR LIGHTING

1200 W
 11 cm
 11 cm
 6 cm
 11
 220 V
 62,5x36x26 50

KN-05355 RADAR MOTION SENSOR

1200 W
 4 cm
 7,5 cm
 2,5 cm
 4,5
 220 V
 30,5x24x22,5 50

KN-05356 PHOTOCELL
10 AMPER

1200 W
 6 cm
 7,5 cm
 10 A
 13,4
 220 V
 37x37x39 100

KN-05357 PHOTOCELL
6 AMPER

1000 W
 5 cm
 5 cm
 6 A
 13,4
 220 V
 37x37x39 200

KN-05358 PHOTOCELL NIGHT LAMP

69x36x28 200
 6,5 cm
 6,5 cm
 30 lm
 9,5
 220 V
 IP20
 CE

KN-05359 IGNITER

70 - 400 W
 16
 220 V
 IP20
 CE
 54x22,5x20 100

RGB REMOTE CONTROLS FOR LIGHTING AND DOORBELLS

KN-05360 3 LINE REMOTE CONTROL FOR LIGHTING



3 x 1000 W IN USE WITH CONTACTOR 3x1000 W
WITHOUT CONTACTOR 3x100 W

220 V 50

KN-05361 4 LINE REMOTE CONTROL FOR LIGHTING



4 x 1000 W IN USE WITH CONTACTOR 4x1000 W
WITHOUT CONTACTOR 4x100 W

50

KN-05362 6 LINE REMOTE CONTROL FOR LIGHTING



6 x 1000 W IN USE WITH CONTACTOR 6x1000 W
WITHOUT CONTACTOR 6x100 W

220 V 50

KN-05363 10 LINE REMOTE CONTROL FOR LIGHTING



10 x 500 W IN USE WITH CONTACTOR 10x500 W
WITHOUT CONTACTOR 10x100 W

220 V 30

KN-05364 DOORBELL



RF 100 Mt 35 Melodili 10,9 48x26x37 60

KN-05365 DOORBELL



RF 100 Mt 35 Melodili 10,9 58x26x37 60

KN-05366 DOORBELL



RF 100 Mt 35 Melodili 11,5 50x26x37 60

KN-05367 STYLISH DOORBELL



RF 150 Mt 35 Melodili 11,5 50x26x37 60


KN-05368 DOORBELL



RF 100 Mt 35 Melodili 16,2 47,5x31,5x71,5 60

KN-05369 RGB REMOTE CONTROL

6 AMPER



5 mt 6 8,7 IP20 12 V C€ 45x35x22 100

72 W

KN-05370 RGB REMOTE CONTROL

12 AMPER




10 mt 12 7 IP20 12 V C€ 43x30x20 100

144 W

KN-05371 RGB REMOTE CONTROL

18 AMPER



15 mt 18 10,2 IP20 12 V C€ 43x30,5x30 50

216 W

KN-05372 RGB REMOTE CONTROL

36 AMPER



20 mt 36 7,5 IP20 12 V C€ 43x30,5x30 30

432 W

KN-05373 DIMMABLE REMOTE CONTROL **NEW**

24 AMPER




15 mt 24 5 IP20 12 V C€ 39x37,5x12,8 50

288 W

KN-05374 LUX RGB REMOTE CONTROL

TOUCH SENSOR

24 AMPER



20 mt 24 13 IP20 12 V C€ 58x42x29 50

288 W

SOLAR AND LED STREET LIGHTS

KN-05375 SOLAR STREET LAMP

12 HOURS LIGHTING
REMOTE CONTROL

6400 K



37,5 cm
18,6 cm
4,9 cm

500 lm
8
IP65
220 V
15000
42x60x44
10

30 W

KN-05376 SOLAR STREET LAMP

12 HOURS LIGHTING
REMOTE CONTROL

6400 K



46,7 cm
21 cm
4,9 cm

1000 lm
10
IP65
220 V
15000
50x75x55
10

60 W

KN-05377 SOLAR STREET LAMP

12 HOURS LIGHTING
REMOTE CONTROL

6400 K



62,5 cm
22,5 cm
4,9 cm

1500 lm
12
IP65
220 V
15000
55x75x55
5

90 W

KN-05378 SOLAR STREET LAMP

12 HOURS LIGHTING
REMOTE CONTROL

6400 K



47,9 cm
23,5 cm
5,7 cm

1800 lm
15,8
IP65
220 V
15000
65x41x27
10

200 W

KN-05379 SOLAR STREET LAMP

12 HOURS LIGHTING
REMOTE CONTROL

6400 K



68 cm
25 cm
6 cm

2200 lm
18,5
IP65
220 V
15000
75,5x39x27
5

250 W

KN-05380 SOLAR STREET LAMP

12 HOURS LIGHTING
REMOTE CONTROL

6400 K



78 cm
25 cm
6 cm

2600 lm
20,2
IP65
220 V
15000
75x27x32,5
5

300 W

KN-05381 SOLAR **NEW**

12 HOURS LIGHTING
REMOTE CONTROL

6400 K



44,6 cm
34,1 cm
5 cm

6600 lm
IP65
220 V
30000
53,5x40x43,5
5

600 W

KN-05382 SOLAR **NEW**

12 HOURS LIGHTING
REMOTE CONTROL

6400 K



59,6 cm
34,1 cm
5 cm

9900 lm
IP65
220 V
30000
55x12x23,5
4

900 W

KN-05383 SOLAR **NEW**

12 HOURS LIGHTING
REMOTE CONTROL

6400 K



67,6 cm
34,1 cm
5 cm

13200 lm
IP65
220 V
30000
66x14,5x30
4

1200 W

KN-05384 LED STREET LAMP

6400 K



5,6 cm
26,6 cm
12,9 cm

4500 lm
IP64
220 V
30000
53,5x40x43,5
20

50 W

KN-05385 LED STREET LAMP

6400 K



7,8 cm
30,6 cm
15 cm

7000 lm
IP64
220 V
30000
55x12x23,5
20

70 W

KN-05386 LED STREET LAMP

6400 K



8,8 cm
43,7 cm
20 cm

12000 lm
IP64
220 V
30000
66x14,5x30
12

120 W

LED AND SOLAR LED FLOODLIGHT

KN-05387 FLOODLIGHT
TEMPERED SOFT GLASS

6400 K
3200 K
GREEN

800 lm

12

IP64

220 V

15000

31x25,5x43,5

50

10 W

9 cm
7,5 cm
2,7 cm



KN-05388 FLOODLIGHT
TEMPERED SOFT GLASS

6400 K
3200 K
GREEN

1600 lm

12

IP64

220 V

15000

31x25,5x43,5

50

20 W

9,8 cm
8,75 cm
2,65 cm



KN-05389 FLOODLIGHT
TEMPERED SOFT GLASS

6400 K

2550 lm

15,7

IP64

220 V

15000

46x40x21,5

50

30 W

12 cm
10,5 cm
2,7 cm



KN-05390 PLATINUM FLOODLIGHT **NEW**

SERIES PLATINUM
HIGH LUMEN

6400 K
3200 K

4000 lm

12

IP64

220 V

15000

42x20x30

20

50 W

18,4 cm
12,4 cm
2,5 cm



KN-05391 PLATINUM FLOODLIGHT **NEW**

SERIES PLATINUM
HIGH LUMEN

6400 K

8500 lm

12

IP64

220 V

15000

46x20x34

20

100 W

20,4 cm
14,4 cm
2,5 cm



KN-05392 PLATINUM FLOODLIGHT **NEW**

SERIES PLATINUM
HIGH LUMEN

6400 K

13000 lm

12

IP64

220 V

15000

44x20x29

10

150 W

25,4 cm
19,4 cm
2,5 cm



KN-05393 PLATINUM FLOODLIGHT **NEW**

SERIES PLATINUM
HIGH LUMEN

6400 K

17800 lm

12

IP64

220 V

15000

50x20x34

5

200 W

30,4 cm
22,4 cm
2,5 cm



KN-05394 PLATINUM FLOODLIGHT **NEW**

SERIES PLATINUM
HIGH LUMEN

6400 K

25000 lm

12

IP64

220 V

15000

42x20x30

5

300 W

38,4 cm
26,4 cm
3,25 cm



KN-05395 PLATINUM FLOODLIGHT **NEW**

SERIES PLATINUM
HIGH LUMEN

6400 K

32000 lm

12

IP64

220 V

15000

42x20x30

1

400 W

43 cm
30,4 cm
2,5 cm



KN-05396 PORTABLE RECHARGEABLE SOLAR FLOODLIGHT

RECHARGE USB/SOLAR
SOS
10 HOURS LIGHTING

3 COLOR LIGHT MODE
6500 K
4000 K
3000 K

1600 lm

12

IP44

200 W

15000

51,5x37x50

20

30 cm
36 cm



KN-05397 SOLAR FLOODLIGHT

12 HOURS LIGHTING
REMOTE CONTROL

6400 K

1600 lm

10

IP65


100 W

15000

54x32x24

6

29 cm
35 cm
26,5 cm
22,5 cm
7,3 cm



KN-05398 SOLAR FLOODLIGHT **NEW**

SERIES PLATINUM
12 HOURS LIGHTING
REMOTE CONTROL

6400 K

1700 lm

10

IP64

200 W

15000

34x28x44

5

29 cm
35 cm
26,5 cm
22,5 cm
7,3 cm



DECORATIVE LED SCONCES

KN-05399 RECHARGEABLE LED SCONCE

TOUCH SENSOR
USB CHARGING

3 COLOR LIGHT MODE
6500 K
4000 K
3000 K

150 lm
8,95
IP20
15000
55x33x39
50

29,5 cm
5 cm

3 W

KN-05400 RECHARGEABLE SLIM UNDER CABINET LIGHT

SWITCH MAGNETIC
USB CHARGING
ULTRA SLIM
SENSOR

3 COLOR LIGHT MODE
6400 K
4000 K
3200 K

60 lm
10,5
IP20
4,5x19x23,5
50

40,5 cm
4,1 cm
1 cm

3 W

KN-05401 BEDSIDE WALL SCONCE

FLEXIBLE

3200 K

205 lm
14
IP20
220 V
15000
54,5x33,5x29
50

27 cm
12 cm
2,5 cm

3 W

KN-05402 BEDSIDE WALL SCONCE

DOUBLE STAGE
LED EFFECT

3200 K

930 lm
18,4
IP20
220 V
15000
57x34x45
30

10 cm
18 cm
3 cm

13 W

KN-05403 BEDSIDE WALL SCONCE

DOUBLE STAGE
LED EFFECT

3200 K

930 lm
18,4
IP20
220 V
15000
57x34x45
30

10 cm
18 cm
3 cm

13 W

KN-05404 LED SCONCE (SILVER)

6400 K
3200 K

480 lm
3,3
IP20
220 V
15000
36x32,4x43,7
10

40 cm
20 cm
5 cm

6 W

KN-05405 LED SCONCE (SILVER)

6400 K
3200 K

480 lm
6,5
IP20
220 V
15000
52x37x23
20

41 cm
20 cm
4 cm

6 W

KN-05406 LED SCONCE (SILVER)

HIGH LUMEN

6400 K
3200 K

740 lm
8,95
IP20
220 V
15000
55x33x39
10

42,5 cm
20 cm
4,3 cm

10 W

KN-05407 WALL SCONCE (WHITE)

6400 K

480 lm
5,73
IP20
220 V
15000
42x34x33,5
10

40 cm
17 cm
5 cm

6 W

KN-05408 UNDER CABINET LIGHTING WITH SOCKET

DUAL SOCKET

6400 K
3200 K

8
IP20
15000
42x31x36
20

14 cm
17,7 cm
6,7 cm

5 W

KN-05409 RECHARGEABLE CLOSET LIGHTING

SWITCH MAGNETIC
USB CHARGING
SENSOR

4000 K

8
5 V
57,5x24x20,5
100

7,8 cm
7,8 cm
2 cm

WALLWASHER AND LINEAR LIGHTS

KN-05410 WALL WASHER

STEAM FILTER



DAYLIGHT
AMBER
GREEN

4,85 cm
4,68 cm
20 cm

6 W

IP 65
220 V
480 lm
22x19,5x29
10

KN-05411 WALL WASHER

STEAM FILTER



DAYLIGHT
AMBER
GREEN

4,85 cm
4,68 cm
30 cm

12 W

IP 65
220 V
960 lm
39,5x15x29
10

KN-05412 WALL WASHER

STEAM FILTER



DAYLIGHT
AMBER
GREEN


4,85 cm
4,68 cm
60 cm

24 W

IP 65
220 V
1920 lm
69x15x29
10

KN-05413 WALL WASHER

STEAM FILTER




DAYLIGHT
AMBER

4,85 cm
4,68 cm
100 cm

36 W

IP 65
220 V
2880 lm
109,5x15x29
6

KN-05414 LINEAR PENDANT FIXTURE 120 CM



6400 K
3200 K

9,7 cm
3,5 cm
118,1 cm

FLUSH MOUNT PENDANT


50 W

IP 20
20000
220 V
12

KN-05415 LINEAR PENDANT FIXTURE 120 CM

HIGH LUMEN

NEW



6400 K
4000 K
3000 K

4,6 cm
7,2 cm
120 cm


FLUSH MOUNT PENDANT

60 W

IP 20
20000
220 V
10

BATTEN LIGHTS AND TUBE LIGHT FIXTURES

KN-05416 HORIZONTAL LED BATTEN LIGHT




6400 K
3200 K

7,5 cm 2,5 cm 60 cm

20 W

IP20 CE 15000 220 V 1800 lm 30

KN-05417 HORIZONTAL LED BATTEN LIGHT



6400 K
3200 K

7,2 cm 2,5 cm 120,2 cm

36 W

IP20 CE 15000 220 V 2950 lm 30

KN-05418 HORIZONTAL LED BATTEN LIGHT BLACK



NEW

6400 K

7,2 cm 2,5 cm 120,2 cm

36 W

IP20 CE 15000 220 V 2950 lm 30

KN-05419 HORIZONTAL LED BATTEN LIGHT DOUBLE ALUMINUM FRAME




6400 K
3200 K

7,5 cm 2,5 cm 120,2 cm

40 W

IP20 CE 15000 220 V 2950 lm 30

KN-05420 HORIZONTAL LED BATTEN LIGHT DOUBLE ALUMINUM FRAME



6400 K
3200 K

7,5 cm 3 cm 120 cm

72 W

IP20 CE 15000 220 V 4400 lm 30

KN-05421 LED TUBE LIGHT FIXTURE MOISTY PLACES



6400 K

121 cm 2,8 cm 6,5 cm

40 W

IP44 CE 15000 220 V 2880 lm 20

KN-05422 EMERGENCY KIT TUBE LIGHT



NEW

2-3 HOURS

6400 K



6,7 cm 4,8 cm 112,5 cm

40 W

IP44 CE 15000 220 V 4300 lm 20

T5, TUBE LIGHT FIXTURES AND HIGH BAY LIGHTS


KN-05423 T5 TUBE LIGHT FIXTURE EXTENDABLE EDGE




5 W





KN-05424 T5 TUBE LIGHT FIXTURE EXTENDABLE EDGE




10 W



KN-05425 T5 TUBE LIGHT FIXTURE EXTENDABLE EDGE



15 W



KN-05426 T5 TUBE LIGHT FIXTURE EXTENDABLE EDGE



20 W



KN-05427 KRISTAL TUBE LIGHT FIXTURE





60 W



NEW




KN-05428 KRISTAL TUBE LIGHT FIXTURE



100 W




KN-05429 HIGH BAY LIGHT



120 W



KN-05430 HIGH BAY LIGHT



120 W



RECHARGEABLE LAMPS, FLASHLIGHT, HEAD LAMP AND SOLAR LIGHTING

KN-05431 RECHARGEABLE EMERGENCY LAMP

SERIES PROFESSIONEL

30 LEDES

6 HOURS

6400 K

6 HOURS

16,8

IP 20

4,5 cm 33,5 cm

6 cm

43,6x34,3x37,7 40



KN-05432 RECHARGEABLE EMERGENCY LAMP

SERIES PROFESSIONEL

60 LEDES

6 HOURS

6400 K

10 HOURS

22,5

IP 20

5 cm 46,5 cm

6 cm

43,8x34,7x51,5 18



KN-05433 RECHARGEABLE EMERGENCY LAMP

SERIES PROFESSIONEL

90 LEDES

6 HOURS

6400 K

12 HOURS

20

IP 20

5 cm 47 cm

6 cm

51,5x31,8x21,5 18



KN-05434 RECHARGEABLE LAMP

MAGNETIC

USB CHARGING

72 LEDES

6 HOURS

6400 K

NEW

6

IP 20

58x28x23 50



KN-05435 RECHARGEABLE LAMP

SERIES PROFESSIONEL

%100 DIMMABLE

80 LEDES

6 HOURS

6400 K

11,8

IP 20

29,5x26x42 20



KN-05436 RECHARGEABLE LAMP

%100 DIMMABLE

60 LEDES

6 HOURS

6400 K

11,8

IP 20

29,5x26x42 50



KN-05437 LED EL FENERI

3 FUNCTION

USB CHARGER

4-6 HOURS

6400 K

11,8

IP 44

29,5x26x42 100



KN-05438 LED FLASHLIGHT

220 v CHARGING

6 HOURS

6400 K

11,8

IP 20

29,5x26x42 20



KN-05439 SOLAR FLASHLIGHT

SOLAR POWER

USB CHARGING

6 HOURS

6400 K

11,8

IP 20

29,5x26x42 30



KN-05440 SAILOR FLASHLIGHT

%100 DIMMABLE

220 v CHARGING

CHIP JAPAN

4-6 HOURS

6400 K

10

IP 20

60x48x22,5 20



KN-05441 SOLAR CAMPING LAMP

SOLAR POWER

USB CHARGING

6 HOURS

6400 K

11,8

IP 64

29,5x26x42 40



KN-05442 LED HEADLAMP

USB CHARGER


4 HOURS

6400 K

11,8

IP 44

29,5x26x42 100



KN-05443 LED HEADLAMP

SERIES PROFESSIONEL

USB CHARGER


6 HOURS

6400 K

11,8

IP 44

29,5x26x42 50



DECORATIVE RECHARGEABLE TABLE LAMPS

KN-05444 TABLE LIGHT NEW

TOUCH SENSOR
%100 DIMMABLE
USB CHARGER

3 COLOR LIGHT MODE
6500 K
3000 K
AMBER

4-8 HOURS

9,5 cm
21,7 cm
9 cm

15,5
IP 20
20
80x35x40

KN-05445 TABLE LIGHT

TOUCH SENSOR
%100 DIMMABLE
USB CHARGER

3 COLOR LIGHT MODE
6500 K
3000 K
AMBER

4-8 HOURS

9,5 cm
21,7 cm
9 cm

15,5
IP 20
20
80x35x40

KN-05446 TABLE LIGHT NEW

TOUCH SENSOR
%100 DIMMABLE
USB CHARGER

3 COLOR LIGHT MODE
6500 K
3000 K
AMBER

4-8 HOURS

9 cm
8,9 cm

15,5
IP 20
20
43x18x28,5

KN-05447 TABLE LIGHT NEW

TOUCH SENSOR
%100 DIMMABLE
USB CHARGER

3 COLOR LIGHT MODE
6500 K
3000 K
AMBER

4-8 HOURS

12,5 cm
20,5 cm
8,9 cm

15,5
IP 20
20
43x18x28,5

KN-05448 TABLE LIGHT NEW

TOUCH SENSOR
%100 DIMMABLE
USB CHARGER

3 COLOR LIGHT MODE
6400 K
4000 K
3000 K

4-8 HOURS

12 cm
23,3 cm

9,5
IP 20
20
75x32,5x53,5

KN-05449 TABLE LIGHT NEW

TOUCH SENSOR
%100 DIMMABLE
USB CHARGER

3 COLOR LIGHT MODE
6500 K
4000 K
3000 K

4-8 HOURS

8 cm
37 cm

19,5
IP 20
20
43x18x28,5

KN-05450 TABLE LIGHT

WITH FREE TABLE MOUNT KIT

10
E-27
IP 20
54x46x30
6

KN-05451 TABLE LIGHT NEW

10
E-14
IP 20
54x46x30
6

KN-05452 TABLE LIGHT NEW

10
E-14
IP 20
54x46x30
6

KN-05453 MULTI PORT USB CHARGER NEW

10 PORTS

IP 20
43x18x28,5
50

MODERN LED FIXTURES

KN-05454
LED EFFECT

NEW

3200 K

950 lm

9,4

220 V

IP44

15000

42x20x22

50

10 W

KN-05455
LED EFFECT

NEW

3200 K

720 lm

7,4

220 V

IP44

15000

57x24x16

40

8 W

KN-05456
LED EFFECT

NEW

3200 K

1200 lm

7,4

220 V

IP44

15000

57x24x16

20

14 cm

18,4 cm

12 W

KN-05457

3200 K

1170 lm

13,5

220 V

IP54

15000

52,5x35,5x35,5

20

12 W

7,5 cm

12 cm

16 cm

KN-05458

3200 K

1170 lm

18,4

220 V

IP54

15000

57x34x45

20

12 W

10,2 cm

13,3 cm

KN-05459

3200 K

1170 lm

18,4

220 V

IP54

15000

57x34x45

20

12 W

10,7 cm

13,7 cm

KN-05460
LED EFFECT

NEW

3200 K

830 lm

9,4

220 V

IP44

15000

42x20x22

20

9 W

8,1 cm

18,2 cm

7,4 cm

KN-05461

NEW

3200 K

2400 lm

9,4

220 V

IP44

15000

42x20x22

40

30 W

11 cm

24,5 cm

9,5 cm

KN-05462

NEW

3200 K

2400 lm

9,4

220 V

IP44

15000

42x20x22

40

30 W

10 cm

24,5 cm

11,4 cm

KN-05463

3200 K

650 lm

6

220 V

IP44

40x29x30

20

7 W

13,3 cm

6,7 cm

KN-05464

3200 K

650 lm

6

220 V

IP44

40x29x30

20

7 W

13,1 cm

6,7 cm

KN-05465

3200 K

1200 lm

13

220 V

IP44

40x29x30

20

15 W

16,7 cm

10 cm

KN-05466

3200 K

1200 lm

15

220 V

IP44

52,5x35,5x35,5

20

15 W

10 cm

16 cm

MODERN LED FIXTURES

KN-05467



3200 K
AMBER

550 lm
13,5
IP44
220 V
15000
52,5x35,5x35,5
60

10 W

7,7 cm
16,8 cm
4,5 cm

KN-05468 **NEW**



3200 K
AMBER

1200 lm
13,5
IP44
220 V
15000
52,5x35,5x35,5
50

15 W

7,7 cm
20,6 cm
4,5 cm

KN-05469 SOLAR **NEW**



3200 K

1200 lm
13,5
IP44
220 V
15000
52,5x35,5x35,5
40

20 W

9 cm
19 cm
6,5 cm

KN-05470



3200 K

510 lm
4,1
IP44
220 V
15000
43,5x35,2x3,5
20

8 W

7 cm
7 cm
8 cm

KN-05471 **ADJUSTABLE**



3200 K

400 lm
10
IP20
220 V
15000
37,5x23x26
50

6 W

9,5 cm
9,8 cm
10,1 cm

KN-05472



3200 K

810 lm
10
IP44
220 V
15000
42x21x35,5
20

12 W

31,1 cm
3,1 cm
9 cm

KN-05473 **NEW**

2 x 6 W
ANTRACITE



3200 K

500 lm
11
IP44
220 V
15000
39,5x20x40
50

12 W

8,1 cm
14,8 cm
6,8 cm

KN-05474




3200 K

370 lm
13,5
IP44
220 V
15000
52,5x35,5x35,5
50

7 W

6,3 cm
14 cm
8 cm

KN-05475 MATTE BLACK



3200 K

300 lm
10
IP44
220 V
15000
36x35x38
30

2 x 3 W

17,3 cm
5,5 cm
10,9 cm

KN-05476 MATTE BLACK
ALUMINIUM



11,4
GU-10
IP44
220 V
15000
41,2x36,2x23,2
16

16 W

11,5 cm
16,5 cm
6,5 cm

KN-05477 BLACK
ALUMINIUM



13,8
GU-10
IP44
220 V
15000
36,5x34x34
24

24 W

9,3 cm
15 cm
6,5 cm

KN-05478 MATTE BLACK



7,5
GU-10
IP44
220 V
15000
41,5x36,5x23
24

24 W

9,3 cm
15 cm
6,5 cm

DECORATIVE GARDEN LIGHTING

KN-05479

27 cm
42 cm

12
E-27
IP44
CE

53x42x51 6

KN-05480

21,5 cm
42 cm
17 cm

12
E-27
IP44
CE

53x42x51 10

KN-05481

21,5 cm
62 cm
17,5 cm

12,5
E-27
IP44
CE

51,5x35x60 10

KN-05482

21,5 cm
90 cm
17,5 cm

12,5
E-27
IP44
CE

51,5x35x60 10

KN-05483

23 cm
35 cm

3,7
E-27
IP44
CE

36,5x35,5x25 6

KN-05484

23 cm
40 cm
17,5 cm

4,7
E-27
IP44
CE

83x25x25 4

KN-05485

23 cm
62 cm
17,5 cm

4,7
E-27
IP44
CE

83x25x25 4

KN-05486

23 cm
80 cm
17,5 cm

4,7
E-27
IP44
CE

83x25x25 4

KN-05487 **NEW**

16 cm
25 cm

4,7
E-27
IP44
CE

83x25x25 6

KN-05488

22 cm
27 cm

4,7
E-27
IP44
CE

83x25x25 4

KN-05489

15,5 cm
24,5 cm

3,7
E-27
IP44
CE

36,5x35,5x25 6

KN-05490

22,5 cm
67,5 cm

4,7
E-27
IP44
CE

36,5x35,5x25 4

KN-05491 **NEW**

16 cm
35 cm

4,7
6-10
IP44
CE

83x25x25 4

KN-05492 **NEW**

22 cm
78 cm

4,7
6-10
IP44
CE

83x25x25 4

KN-05493 LED FIXTURE **NEW**

25 cm
12 cm

6500 K
3000 K
1500 lm
4,7
IP44
CE

15 W
83x25x25 10

DECORATIVE GARDEN LIGHTING

KN-05494

7,5 cm
32,2 cm
11,5 cm

3,7
E-27
IP44
CE

36,5x35,5x25 6

KN-05495

7,5 cm
50 cm
11,5 cm

3,3
E-27
IP44
CE

53x25x25 4

KN-05496

7,5 cm
79,7 cm
11,5 cm

4,7
E-27
IP44
CE

83x25x25 4

KN-05497

27 cm
34 cm

3,7
E-27
IP44
CE

36,5x35,5x25 6

KN-05498

17,5 cm
27 cm
11,5 cm

3,7
E-27
IP44
CE

36,5x35,5x25 6

KN-05499

17,5 cm
40 cm
11,5 cm

3,7
E-27
IP44
CE

36,5x35,5x25 6

KN-05500

17,5 cm
80 cm
17,5 cm

4,7
E-27
IP44
CE

83x25x25 4

KN-05501

9 cm
30 cm
21,5 cm

3,7
E-27
IP44
CE

36,5x35,5x25 6

KN-05502

9 cm
28,7 cm
11,5 cm

3,7
E-27
IP44
CE

36,5x35,5x25 6

KN-05503

9 cm
41 cm
11,5 cm

3,7
E-27
IP44
CE

36,5x35,5x25 6

KN-05504

9 cm
81 cm
17,5 cm

4,7
E-27
IP44
CE

83x25x25 4

KN-05505 **NEW**

9 cm
23 cm
11,5 cm

4,7
E-27
IP44
CE

83x25x25 10

KN-05506 **NEW**

9 cm
23 cm
12 cm

4,7
E-27
IP44
CE

83x25x25 10

KN-05507 **NEW**

9 cm
35 cm
12 cm

4,7
E-27
IP44
CE

83x25x25 10

KN-05508 **NEW**

9 cm
50 cm
12 cm

4,7
E-27
IP44
CE

83x25x25 8

SOLAR AND GARDEN LIGHTING

KN-05509



3200 K
AMBER
GREEN

450 lm

220 V 16

IP 64

15000

40x40x29

50

7 W

7,5 cm
7 cm

KN-05510

HIGH LUMEN



3200 K
AMBER
GREEN

970 lm

220 V 31,93

IP 64

15000

54,5x28x35

20

12 W

10 cm
11,5 cm

KN-05511

LUXURY MODEL



3200 K
AMBER
GREEN

GU-10

16

IP 64

220 V

34x34,5x39

20

6 cm
13 cm

KN-05512



6400 K
3200 K
AMBER
GREEN

GU-10

IP 44

220 V

34x34,5x39

25

KN-05513 GROUND LIGHT GU-10



GU-10

IP 64

220 V

64x27x31

20

12 cm
13 cm
8 cm

KN-05514 SOLAR GARDEN

ITALIAN DESIGN

6 HOURS



6400 K
3200 K
AMBER
GREEN

100 lm

220 V 12

IP 64

15000

62x42x50,5

24

20 W

KN-05515 SOLAR GARDEN LIGHTING

6 HOURS



6400 K
3200 K
AMBER
GREEN

90 lm

220 V 12

IP 64

15000

62x42x50,5

40

7 W

34 cm
14 cm
12,5 cm
9 cm

KN-05516 SOLAR GARDEN LIGHTING

6 HOURS



6400 K
3200 K
AMBER
GREEN

200 lm

220 V 12

IP 64

15000

62x42x50,5

40

18 W

14 cm
12 cm
28,5 cm

KN-05517 SOLAR GARDEN LIGHTING

6 HOURS



6400 K

200 lm

220 V 12

IP 64

15000

85x36,5x18,5

10

30 W

16 cm
21,5 cm
9 cm

KN-05518 GARDEN LIGHTING

6 HOURS



6400 K

100 lm

16

IP 64

220 V

15000

77,5x31,5x41,5


24

30 W

16 cm
19,5 cm

KN-05519 GARDEN LIGHTING

6 HOURS



6400 K

280 lm

16

IP 64

220 V

15000

77,5x31,5x41,5


20

30 W

14,4 cm
19 cm

KN-05520 GARDEN LIGHTING

6 HOURS



6400 K

450 lm

17

IP 64

220 V

15000

63,5x42,5x59,5


12

60 W


19,8 cm
26 cm

MODERN DECORATIVE PENDANT LIGHTS AND ZAPPERS


KN-05521




KN-05522




KN-05523




KN-05524




KN-05525




KN-05526




KN-05527





KN-05528




KN-05529




KN-05530 PLATIN



KN-05531 BLACK



KN-05532 BRASS



KN-05533 ZAPPER





2 x 10 W

65,2x36x29

8

KN-05534 ZAPPER



2 x 20 W

66x44x34

6